



ARCHITECTURAL LAYERS (1 of 8)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
A-ANNO-DIMS	12	CONTINUOUS	Annotation: dimensions
A-ANNO-NPLT	WHITE	CONTINUOUS	Annotation: no plot
A-ANNO-SYMB	12	CONTINUOUS	Annotation: symbols
A-ANNO-TABL	11	CONTINUOUS	Annotation: table
A-ANNO-TEXT	11	SAMPLE TEXT	Annotation: text
A-AREA	50	CONTINUOUS	Area
A-AREA-IDEN	50	SAMPLE TEXT	Area: identification
A-AREA-LINE	151	CONTINUOUS	Area: line
A-AREA-OCCP	50	CONTINUOUS	Area: occupants
A-AREA-PATT	8	CONTINUOUS	Area: patterns
A-BARR	160	CONTINUOUS	Barrier
A-BARR-AIR~	160	CONTINUOUS	Barrier: air
A-CLNG	240	CONTINUOUS	Ceiling
A-CLNG-ACCS	240	CONTINUOUS	Ceiling: access
A-CLNG-CTLJ	50	CONTINUOUS	Ceiling: control joints
A-CLNG-GRID	20	CONTINUOUS	Ceiling: grid
A-CLNG-LITE	151	CONTINUOUS	Ceiling: lights
A-CLNG-OPNG	8	CONTINUOUS	Ceiling: openings
A-CLNG-PATT	8	CONTINUOUS	Ceiling: patterns
A-CLNG-SFFT	53	CONTINUOUS	Ceiling: soffits
A-CLNG-SUSP	8	CONTINUOUS	Ceiling: suspended elements
A-CLNG-TEES	8	CONTINUOUS	Ceiling: main tees
A-COLS	151	CONTINUOUS	Columns
A-COLS-ENCL	151	CONTINUOUS	Columns: enclosures



ARCHITECTURAL LAYERS (2 of 8)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
A-CONV	155	CONTINUOUS	Conveying systems
A-DETL-1XWD-BLCK	CYAN	CONTINUOUS	Detail: extra wide lines 0.70 mm: black
A-DETL-1XWD-GREY	140	CONTINUOUS	Detail: extra wide lines 0.70 mm: grey
A-DETL-2XWD-BLCK	MAGENTA	CONTINUOUS	Detail: double extra wide lines 1.00 mm: black
A-DETL-2XWD-GREY	213	CONTINUOUS	Detail: double extra wide lines 1.00 mm: grey
A-DETL-DIMS	12	CONTINUOUS	Detail: dimensions
A-DETL-FINE-BLCK	247	CONTINUOUS	Detail: fine lines 0.18 mm: black
A-DETL-FINE-GREY	250	CONTINUOUS	Detail: fine lines 0.18 mm: grey
A-DETL-HTCH	8	CONTINUOUS	Detail: hatch
A-DETL-HTCH-WIDE	34	CONTINUOUS	Detail: hatch (for dot patterns)
A-DETL-MEDM-BLCK	RED	CONTINUOUS	Detail: medium lines 0.35 mm: black
A-DETL-MEDM-GREY	14	CONTINUOUS	Detail: medium lines 0.35 mm: grey
A-DETL-SHDE	9	CONTINUOUS	Detail: shading
A-DETL-TEXT	11	SAMPLE TEXT	Detail: text
A-DETL-THIN-BLCK	50	CONTINUOUS	Detail: thin lines 0.25 mm: black
A-DETL-THIN-GREY	35	CONTINUOUS	Detail: thin lines 0.25 mm: grey
A-DETL-UFIN-BLCK	171	CONTINUOUS	Detail: ultra fine lines 0.05 mm: black
A-DETL-UFIN-GREY	154	CONTINUOUS	Detail: ultra fine lines 0.05 mm: grey
A-DETL-WIDE-BLCK	WHITE	CONTINUOUS	Detail: wide lines 0.50 mm: black
A-DETL-WIDE-GREY	74	CONTINUOUS	Detail: wide lines 0.50 mm: grey
A-DETL-XFIN-BLCK	29	CONTINUOUS	Detail: extra fine lines 0.13 mm: black
A-DETL-XFIN-GREY	8	CONTINUOUS	Detail: extra fine lines 0.13 mm: grey
A-DOOR	80	CONTINUOUS	Doors
A-DOOR-FULL	80	CONTINUOUS	Doors: full-height



ARCHITECTURAL LAYERS (3 of 8)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
A-DOOR-IDEN	50	SAMPLE TEXT	Doors: identification
A-DOOR-PRHT	240	CONTINUOUS	Doors: partial-height
A-DOOR-SYMB	20	CONTINUOUS	Doors: symbols
A-ELEV-1XWD-BLCK	CYAN	CONTINUOUS	Elevation: extra wide lines 0.70 mm: black
A-ELEV-1XWD-GREY	140	CONTINUOUS	Elevation: extra wide lines 0.70 mm: grey
A-ELEV-2XWD-BLCK	MAGENTA	CONTINUOUS	Elevation: double extra wide lines 1.00 mm: black
A-ELEV-2XWD-GREY	213	CONTINUOUS	Elevation: double extra wide lines 1.00 mm: grey
A-ELEV-DIMS	12	CONTINUOUS	Elevation: dimensions
A-ELEV-FINE-BLCK	247	CONTINUOUS	Elevation: fine lines 0.18 mm: black
A-ELEV-FINE-GREY	250	CONTINUOUS	Elevation: fine lines 0.18 mm: grey
A-ELEV-HTCH	8	CONTINUOUS	Elevation: hatch
A-ELEV-HTCH-WIDE	34	CONTINUOUS	Elevation: hatch (for dot patterns)
A-ELEV-MEDM-BLCK	RED	CONTINUOUS	Elevation: medium lines 0.35 mm: black
A-ELEV-MEDM-GREY	14	CONTINUOUS	Elevation: medium lines 0.35 mm: grey
A-ELEV-SHDE	9	CONTINUOUS	Elevation: shading
A-ELEV-TEXT	11	SAMPLE TEXT	Elevation: text
A-ELEV-THIN-BLCK	50	CONTINUOUS	Elevation: thin lines 0.25 mm: black
A-ELEV-THIN-GREY	35	CONTINUOUS	Elevation: thin lines 0.25 mm: grey
A-ELEV-UFIN-BLCK	171	CONTINUOUS	Elevation: ultra fine lines 0.05 mm: black
A-ELEV-UFIN-GREY	154	CONTINUOUS	Elevation: ultra fine lines 0.05 mm: grey
A-ELEV-WIDE-BLCK	WHITE	CONTINUOUS	Elevation: wide lines 0.50 mm: black
A-ELEV-WIDE-GREY	74	CONTINUOUS	Elevation: wide lines 0.50 mm: grey
A-ELEV-XFIN-BLCK	29	CONTINUOUS	Elevation: extra fine lines 0.13 mm: black
A-ELEV-XFIN-GREY	8	CONTINUOUS	Elevation: extra fine lines 0.13 mm: grey



ARCHITECTURAL LAYERS (4 of 8)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
A-EQPM	240	CONTINUOUS	Equipment
A-EQPM-ACCS	240	CONTINUOUS	Equipment: access
A-EQPM-FIXD	151	CONTINUOUS	Equipment: fixed
A-EQPM-IDEN	50	SAMPLE TEXT	Equipment: identification
A-EQPM-MOVE	240	CONTINUOUS	Equipment: moveable
A-EQPM-OVHD	240	CONTINUOUS	Equipment: overhead
A-FLOR	80	CONTINUOUS	Floor
A-FLOR-CSWK	80	CONTINUOUS	Floor: casework
A-FLOR-EVTR	50	CONTINUOUS	Floor: elevator
A-FLOR-FIXT	201	CONTINUOUS	Floor: fixtures (plumbing)
A-FLOR-FTPT	151	CONTINUOUS	Floor: footprint
A-FLOR-GRAL	20	CONTINUOUS	Floor: guard rails/handrails
A-FLOR-IDEN	50	SAMPLE TEXT	Floor: identification
A-FLOR-LEVL	240	CONTINUOUS	Floor: level
A-FLOR-NUMB	50	CONTINUOUS	Floor: room/space identification number and symbol
A-FLOR-OVHD	8	JIS_02_2.0	Floor: overhead
A-FLOR-PATT	8	CONTINUOUS	Floor: patterns
A-FLOR-PERI	50	CONTINUOUS	Floor: perimeter
A-FLOR-RAIS	53	CONTINUOUS	Floor: raised
A-FLOR-SIGN	20	CONTINUOUS	Floor: signage
A-FLOR-SPCL	80	CONTINUOUS	Floor: specialties
A-FLOR-STRS	20	CONTINUOUS	Floor: stair treads (escalators, ladders)
A-FLOR-TPTN	20	CONTINUOUS	Floor: toilet partitions
A-FLOR-WDWK	80	CONTINUOUS	Floor: architectural woodwork



ARCHITECTURAL LAYERS (5 of 8)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
A-FURN	33	CONTINUOUS	Furnishings
A-FURN-FILE	33	CONTINUOUS	Furnishings: file cabinets
A-FURN-FIXD	33	CONTINUOUS	Furnishings: fixed
A-FURN-FREE	33	CONTINUOUS	Furnishings: freestanding
A-FURN-PLNT	33	CONTINUOUS	Furnishings: plants
A-FURN-PNLS	33	CONTINUOUS	Furnishings: system panels
A-FURN-SEAT	33	CONTINUOUS	Furnishings: seating
A-FURN-STOR	33	CONTINUOUS	Furnishings: storage (component system)
A-FURN-WKSF	33	CONTINUOUS	Furnishings: work surface (component system)
A-GLAZ	20	CONTINUOUS	Glazing
A-GLAZ-FULL	20	CONTINUOUS	Glazing: full-height
A-GLAZ-IDEN	50	SAMPLE TEXT	Glazing: identification
A-GLAZ-PRHT	20	CONTINUOUS	Glazing: partial-height
A-GLAZ-SILL	8	CONTINUOUS	Glazing: window sills
A-GLAZ-SYMB	20	CONTINUOUS	Glazing: symbols
A-HVAC	195	CONTINUOUS	HVAC systems
A-HVAC-RDFF	195	CONTINUOUS	HVAC systems: return air diffusers
A-HVAC-SDFF	195	CONTINUOUS	HVAC systems: supply diffusers
A-LITE	50	CONTINUOUS	Lighting
A-REFR	WHITE	CONTINUOUS	Reference: external files (images, pdfs, xrefs, etc)
A-ROOF	211	CONTINUOUS	Roof
A-ROOF-CRKT	20	CONTINUOUS	Roof: crickets flow arrows flow info
A-ROOF-DRNS	20	CONTINUOUS	Roof: drains
A-ROOF-EXPJ	8	CONTINUOUS	Roof: expansion joints



ARCHITECTURAL LAYERS (6 of 8)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
A-ROOF-GRAL	8	CONTINUOUS	Roof: guard rails/handrails
A-ROOF-GUTR	8	CONTINUOUS	Roof: gutter
A-ROOF-LEVL	8	CONTINUOUS	Roof: level
A-ROOF-OTLN	242	CONTINUOUS	Roof: outline
A-ROOF-PATT	8	CONTINUOUS	Roof: patterns
A-ROOF-PRPT	50	CONTINUOUS	Roof: parapet
A-ROOF-RISR	211	CONTINUOUS	Roof: risers
A-ROOF-SKLT	8	JIS_02_2.0	Roof: skylights
A-ROOF-SPCL	80	CONTINUOUS	Roof: specialties
A-ROOF-STRS	8	CONTINUOUS	Roof: stair treads (escalators, ladders)
A-ROOF-WALK	80	CONTINUOUS	Roof: walkways
A-SECT-1XWD-BLCK	CYAN	CONTINUOUS	Section: extra wide lines 0.70 mm: black
A-SECT-1XWD-GREY	140	CONTINUOUS	Section: extra wide lines 0.70 mm: grey
A-SECT-2XWD-BLCK	MAGENTA	CONTINUOUS	Section: double extra wide lines 1.00 mm: black
A-SECT-2XWD-GREY	213	CONTINUOUS	Section: double extra wide lines 1.00 mm: grey
A-SECT-DIMS	12	CONTINUOUS	Section: dimensions
A-SECT-FINE-BLCK	247	CONTINUOUS	Section: fine lines 0.18 mm: black
A-SECT-FINE-GREY	250	CONTINUOUS	Section: fine lines 0.18 mm: grey
A-SECT-HTCH	8	CONTINUOUS	Section: hatch
A-SECT-HTCH-WIDE	34	CONTINUOUS	Section: hatch (for dot patterns)
A-SECT-MEDM-BLCK	RED	CONTINUOUS	Section: medium lines 0.35 mm: black
A-SECT-MEDM-GREY	14	CONTINUOUS	Section: medium lines 0.35 mm: grey
A-SECT-SHDE	9	CONTINUOUS	Section: shading
A-SECT-TEXT	11	SAMPLE TEXT	Section: text



ARCHITECTURAL LAYERS (7 of 8)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
A-SECT-THIN-BLCK	50	CONTINUOUS	Section: thin lines 0.25 mm: black
A-SECT-THIN-GREY	35	CONTINUOUS	Section: thin lines 0.25 mm: grey
A-SECT-UFIN-BLCK	171	CONTINUOUS	Section: ultra fine lines 0.05 mm: black
A-SECT-UFIN-GREY	154	CONTINUOUS	Section: ultra fine lines 0.05 mm: grey
A-SECT-VIEW	110	CONTINUOUS	Section: view
A-SECT-VIEW-GRID-MAJR	250	CONTINUOUS	Section: view: grid: major
A-SECT-VIEW-GRID-MINR	253	CONTINUOUS	Section: view: grid: minor
A-SECT-VIEW-TEXT	11	SAMPLE TEXT	Section: view: text
A-SECT-WIDE-BLCK	WHITE	CONTINUOUS	Section: wide lines 0.50 mm: black
A-SECT-WIDE-GREY	74	CONTINUOUS	Section: wide lines 0.50 mm: grey
A-SECT-XFIN-BLCK	29	CONTINUOUS	Section: extra fine lines 0.13 mm: black
A-SECT-XFIN-GREY	8	CONTINUOUS	Section: extra fine lines 0.13 mm: grey
A-WALL	50	CONTINUOUS	Walls
A-WALL-CAVI	8	CONTINUOUS	Walls: cavity
A-WALL-CNTR	160	GEN-CENTRE (COFC)	Walls: centreline
A-WALL-CURT	20	CONTINUOUS	Walls: curtain
A-WALL-FIRE	50	CONTINUOUS	Walls: fire protection
A-WALL-FULL	50	CONTINUOUS	Walls: full-height
A-WALL-FULL-EXTR	50	CONTINUOUS	Walls: full-height: exterior
A-WALL-FULL-INTR	80	CONTINUOUS	Walls: full-height: interior
A-WALL-HEAD	20	CONTINUOUS	Walls: headers
A-WALL-IDEN	50	SAMPLE TEXT	Walls: identification
A-WALL-JAMB	20	CONTINUOUS	Walls: door and window jambs
A-WALL-MESH	8	CONTINUOUS	Walls: mesh or wire



ARCHITECTURAL LAYERS (8 of 8)

[illegible]