#### **BYLAW NUMBER 291D2017**

# BEING A BYLAW OF THE CITY OF CALGARY TO AMEND THE LAND USE BYLAW 1P2007 (LAND USE AMENDMENT LOC2017-0091)

**WHEREAS** it is desirable to amend the Land Use Bylaw Number 1P2007 to change the land use designation of certain lands within the City of Calgary;


**AND WHEREAS** Council has held a public hearing as required by Section 692 of the *Municipal Government Act*, R.S.A. 2000, c.M-26 as amended;

# NOW, THEREFORE, THE COUNCIL OF THE CITY OF CALGARY ENACTS AS FOLLOWS:


- 1. The Land Use Bylaw, being Bylaw 1P2007 of the City of Calgary, is hereby amended by deleting that portion of the Land Use District Map shown as shaded on Schedule "A" to this Bylaw and substituting therefor that portion of the Land Use District Map shown as shaded on Schedule "B" to this Bylaw, including any land use designation, or specific land uses and development guidelines contained in the said Schedule "B".
- 2. This Bylaw comes into force on the date it is passed.

READ A FIRST TIME ON SEPTEMBI	ER 11 2017		
READ A SECOND TIME ON	MARCH	20 2018	
	MARCH	2 0 2018	<del></del> :
READ A THIRD TIME ON			
	MAYOR SIGNED ON	MARCH	2 0 2018
		Light	3
ACTIN	G CITY CLERK	MARCH	<b>20</b> 2018
	SIGNED ON	22 CON 1900 APPLIED	

### **SCHEDULE A**



# **SCHEDULE B**



#### DC DIRECT CONTROL DISTRICT

#### **Purpose**

- 1 This Direct Control District is intended to:
  - (a) provide for a medium *density* Multi-Residential Development in compliance with the policies of the applicable local area redevelopment plan; and
  - (b) implement the density bonus provisions of the Hillhurst/Sunnyside Area Redevelopment Plan.

#### Compliance with Bylaw 1P2007

2 Unless otherwise specified, the rules and provisions of Parts 1, 2, 3 and 4 of Bylaw 1P2007 apply to this Direct Control District.

#### Reference to Bylaw 1P2007

Within this Direct Control District, a reference to a section of Bylaw 1P2007 is deemed to be a reference to the section as amended from time to time.

#### **Permitted Uses**

The **permitted uses** of the Multi-Residential – Contextual Medium Profile (M-C2) District of Bylaw 1P2007 are the **permitted uses** in this Direct Control District.

#### **Discretionary Uses**

The *discretionary uses* of the Multi-Residential – Contextual Medium Profile (M-C2) District of Bylaw 1P2007 are the *discretionary uses* in this Direct Control District.

## **Bylaw 1P2007 District Rules**

Unless otherwise specified, the rules of the Multi-Residential – Contextual Medium Profile (M-C2) District of Bylaw 1P2007 apply in this Direct Control District.

#### Floor Area Ratio

- 7 (1) Unless otherwise referenced in subsection (2), the maximum *floor area ratio* is 0.72.
  - (2) The *floor area ratio* may be increased to a maximum of 2.5 in accordance with the bonus provisions contained in section 8 of this Direct Control District.

#### **Density Bonus**

- **8** (1) For the purposes of this section: "Cash Contribution Rate" means: \$17.85 per square metre for the year 2017. The Cash Contribution Rate will be adjusted annually on January 1 by the **Development Authority**, based on the Statistics Canada Consumer Price Index for Calgary.
  - A density bonus may be earned by a contribution to the Hillhurst/Sunnyside Community Amenity Fund, such that:
    - Cash Contribution Amount = Cash Contribution Rate x Total Floor Area in square metres above the *floor area ratio* of 0.72.
  - (3) A density bonus may be earned by the provision of an off-site improvement in accordance with Section 3.1.5.4 of the Hillhurst/Sunnyside Area Redevelopment Plan, where the allowable bonus floor area in square metres is equal to the cost of construction of the off-site improvement divided by the Cash Contribution Rate, such that:

Allowable bonus floor area = Total construction cost of the off-site improvement / Cash Contribution Rate.

Total construction cost will not include any construction costs necessary to fulfill the infrastructure requirements of a *development permit* for a *development* equal to or less than a *floor area ratio* of 0.72.