



LANDSCAPE & IRRIGATION LAYERS (1 of 11)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
L-ANNO-DIMS	12	CONTINUOUS	Annotation: dimensions
L-ANNO-DIMS-ENLG	12	CONTINUOUS	Annotation: dimensions: enlargement
L-ANNO-DIMS-LAYT	12	CONTINUOUS	Annotation: dimensions: layout
L-ANNO-NPLT	WHITE	CONTINUOUS	Annotation: no plot
L-ANNO-SYMB	12	CONTINUOUS	Annotation: symbols
L-ANNO-TABL	11	CONTINUOUS	Annotation: tables
L-ANNO-TEXT	11	SAMPLE TEXT	Annotation: text
L-ANNO-TEXT-GRAD	11	SAMPLE TEXT	Annotation: text: grading
L-ANNO-TEXT-LAYT	11	SAMPLE TEXT	Annotation: text: layout
L-DETL-1XWD-BLCK	CYAN	CONTINUOUS	Detail: extra wide lines 0.70 mm: black
L-DETL-1XWD-GREY	140	CONTINUOUS	Detail: extra wide lines 0.70 mm: grey
L-DETL-2XWD-BLCK	MAGENTA	CONTINUOUS	Detail: double extra wide lines 1.00 mm: black
L-DETL-2XWD-GREY	213	CONTINUOUS	Detail: double extra wide lines 1.00 mm: grey
L-DETL-DIMS	12	CONTINUOUS	Detail: dimensions
L-DETL-FINE-BLCK	247	CONTINUOUS	Detail: fine lines 0.18 mm: black
L-DETL-FINE-GREY	250	CONTINUOUS	Detail: fine lines 0.18 mm: grey
L-DETL-HTCH	8	CONTINUOUS	Detail: hatch
L-DETL-HTCH-WIDE	34	CONTINUOUS	Detail: hatch (for dot patterns)
L-DETL-MEDM-BLCK	RED	CONTINUOUS	Detail: medium lines 0.35 mm: black
L-DETL-MEDM-GREY	14	CONTINUOUS	Detail: medium lines 0.35 mm: grey
L-DETL-SHDE	9	CONTINUOUS	Detail: shading
L-DETL-TEXT	11	SAMPLE TEXT	Detail: text
L-DETL-THIN-BLCK	50	CONTINUOUS	Detail: thin lines 0.25 mm: black
L-DETL-THIN-GREY	35	CONTINUOUS	Detail: thin lines 0.25 mm: grey

Note: Blocks may appear on multiple layers and are not restricted to the layer shown in this sample.

Z:\special\TI_contract_seed_directories\Construction Drafting Standards and Templates\DEVL\TMPL-LAND\LAND.dwg



























LANDSCAPE & IRRIGATION LAYERS (2 of 11)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
L-DETL-UFIN-BLCK	171	CONTINUOUS _____	Detail: ultra fine lines 0.05 mm: black
L-DETL-UFIN-GREY	154	CONTINUOUS _____	Detail: ultra fine lines 0.05 mm: grey
L-DETL-WIDE-BLCK	WHITE	CONTINUOUS _____	Detail: wide lines 0.50 mm: black
L-DETL-WIDE-GREY	74	CONTINUOUS _____	Detail: wide lines 0.50 mm: grey
L-DETL-XFIN-BLCK	29	CONTINUOUS _____	Detail: extra fine lines 0.13 mm: black
L-DETL-XFIN-GREY	8	CONTINUOUS _____	Detail: extra fine lines 0.13 mm: grey
L-DEVP-HTCH	8	CONTINUOUS _____	Detail: development (multi-residential/commercial) area: hatch
L-DEVP-TEXT	11	SAMPLE TEXT	Detail: development (multi-residential/commercial) area: text
L-EDGE	RED	CONTINUOUS _____	Plant and landscape material: edge/boundaries
L-ELEV-1XWD-BLCK	CYAN	CONTINUOUS _____	Elevation: extra wide lines 0.70 mm: black
L-ELEV-1XWD-GREY	140	CONTINUOUS _____	Elevation: extra wide lines 0.70 mm: grey
L-ELEV-2XWD-BLCK	MAGENTA	CONTINUOUS _____	Elevation: double extra wide lines 1.00 mm: black
L-ELEV-2XWD-GREY	213	CONTINUOUS _____	Elevation: double extra wide lines 1.00 mm: grey
L-ELEV-DIMS	12	CONTINUOUS _____	Elevation: dimensions
L-ELEV-FINE-BLCK	247	CONTINUOUS _____	Elevation: fine lines 0.18 mm: black
L-ELEV-FINE-GREY	250	CONTINUOUS _____	Elevation: fine lines 0.18 mm: grey
L-ELEV-HTCH	8	CONTINUOUS _____	Elevation: hatch
L-ELEV-HTCH-WIDE	34	CONTINUOUS _____	Elevation: hatch (for dot patterns)
L-ELEV-MEDM-BLCK	RED	CONTINUOUS _____	Elevation: medium lines 0.35 mm: black
L-ELEV-MEDM-GREY	14	CONTINUOUS _____	Elevation: medium lines 0.35 mm: grey
L-ELEV-SHDE	9	CONTINUOUS _____	Elevation: shading
L-ELEV-TEXT	11	SAMPLE TEXT	Elevation: text
L-ELEV-THIN-BLCK	50	CONTINUOUS _____	Elevation: thin lines 0.25 mm: black
L-ELEV-THIN-GREY	35	CONTINUOUS _____	Elevation: thin lines 0.25 mm: grey

Note: Blocks may appear on multiple layers and are not restricted to the layer shown in this sample.

Z:\special\TI_contract_seed_directories\Construction Drafting Standards and Templates\DEVL\TMPL-LAND\LAND.dwg

LANDSCAPE & IRRIGATION LAYERS (3 of 11)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
L-ELEV-UFIN-BLCK	171	CONTINUOUS 	Elevation: ultra fine lines 0.05 mm: black
L-ELEV-UFIN-GREY	154	CONTINUOUS 	Elevation: ultra fine lines 0.05 mm: grey
L-ELEV-WIDE-BLCK	WHITE	CONTINUOUS 	Elevation: wide lines 0.50 mm: black
L-ELEV-WIDE-GREY	74	CONTINUOUS 	Elevation: wide lines 0.50 mm: grey
L-ELEV-XFIN-BLCK	29	CONTINUOUS 	Elevation: extra fine lines 0.13 mm: black
L-ELEV-XFIN-GREY	8	CONTINUOUS 	Elevation: extra fine lines 0.13 mm: grey
L-FENC	120	GEN-FENCE (NCS) 	Fences: guard rail
L-FENC-CONC	120	GEN-FENCE CONCRETE (COFC) 	Fences: concrete
L-FENC-GRAL	120	GEN-GUARD RAIL (COFC) 	Fences: guard rail
L-FENC-NSBR	120	GEN-NOISE BARRIER (COFC) 	Fences: noise barrier
L-FENC-POST	120	GEN-FENCE POST & CABLE (COFC) 	Fences: post (and cable)
L-FENC-SILT	120	GEN-FENCE SILT (COFC) 	Fences: silt
L-FENC-STEL	120	GEN-FENCE CHAINLINK (COFC) 	Fences: steel (chain link)
L-FENC-WIRN	120	GEN-FENCE POST & CABLE (COFC) 	Fences: wrought iron
L-FENC-WOOD	120	GEN-FENCE WOOD (COFC) 	Fences: wood
L-IRRG-COVR	252	CONTINUOUS 	Irrigation: coverage
L-IRRG-DRIP	167	CONTINUOUS 	Irrigation: drip irrigation tubing
L-IRRG-EQPM	167	CONTINUOUS 	Irrigation: equipment (pumps, valves, and controllers)
L-IRRG-EQPM-IDEN	12	SAMPLE TEXT 	Irrigation: equipment: identification
L-IRRG-LTRL-0025	152	GEN-IRRG LATERAL 25 MM (COFC) 	Irrigation: lateral pipe 25 mm
L-IRRG-LTRL-0050	152	CONTINUOUS 	Irrigation: lateral pipe 50 mm
L-IRRG-MAIN-0050	152	JIS_02_4.0 	Irrigation: mainline 50 mm
L-IRRG-MAIN-0100	BLUE	GEN-IRRG MAIN 100 MM (COFC) 	Irrigation: mainline 100 mm
L-IRRG-MAIN-0150	BLUE	GEN-IRRG MAIN 150 MM (COFC) 	Irrigation: mainline 150 mm

Note: Blocks may appear on multiple layers and are not restricted to the layer shown in this sample.

Z:\special\TI_contract_seed_directories\Construction Drafting Standards and Templates\DEVL\TMPL-LAND\LAND.dwg

LANDSCAPE & IRRIGATION LAYERS (4 of 11)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
L-IRRG-PIPE	207	PR-IRRIGATION (COFC) IRR	Irrigation: piping (general)
L-IRRG-SLVE	167	CONTINUOUS	Irrigation: pipe sleeve
L-IRRG-SPKL	167	CONTINUOUS	Irrigation: sprinklers (rotors, heads)
L-IRRG-TEXT	11	SAMPLE TEXT	Irrigation: text
L-IRRG-VALV	167	CONTINUOUS	Irrigation: valves
L-LOCN	MAGENTA	GEN-CONTR LIMIT LINE (NCS)	Limits of construction / contract
L-LOCN-HTCH	8	CONTINUOUS	Limits of construction / contract: hatch
L-PLNT-BEDS	29	JIS_02_1.2	Plant and landscape material: perennial and annual beds
L-PLNT-BUSH	29	CONTINUOUS	Plant and landscape material: bushes and shrubs
L-PLNT-BUSH-HTCH	8	CONTINUOUS	Plant and landscape material: bushes and shrubs: hatch
L-PLNT-CONI	109	CONTINUOUS	Plant and landscape material: coniferous trees
L-PLNT-CTNR	50	CONTINUOUS	Plant and landscape material: container or planter
L-PLNT-EDGR	29	CONTINUOUS	Plant and landscape material: planting bed edger
L-PLNT-EVGR	109	CONTINUOUS	Plant and landscape material: evergreen trees broadleaf
L-PLNT-GCVR	29	CONTINUOUS	Plant and landscape material: ground cover
L-PLNT-LOAM	33	CONTINUOUS	Plant and landscape material: loam
L-PLNT-MISC	80	CONTINUOUS	Plant and landscape material: miscellaneous
L-PLNT-MLCH	33	CONTINUOUS	Plant and landscape material: mulches organic and inorganic
L-PLNT-MLCH-HTCH	8	CONTINUOUS	Plant and landscape material: mulches organic and inorganic: hatch
L-PLNT-PLNT	109	CONTINUOUS	Plant and landscape material: plants
L-PLNT-SEED	112	CONTINUOUS	Plant and landscape material: seeding areas
L-PLNT-SEED-HTCH-FINE	250	CONTINUOUS	Plant and landscape material: seeding areas: hatch: fine (for line patterns)
L-PLNT-SEED-HTCH-THIN	60	CONTINUOUS	Plant and landscape material: seeding areas: hatch: thin (for dot patterns)
L-PLNT-SEED-HTCH-XFIN	8	CONTINUOUS	Plant and landscape material: seeding areas: hatch: extra fine (for line patterns)

Note: Blocks may appear on multiple layers and are not restricted to the layer shown in this sample.

Z:\special\TI_contract_seed_directories\Construction Drafting Standards and Templates\DEVL\TMPL-LAND\LAND.dwg



LANDSCAPE & IRRIGATION LAYERS (5 of 11)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
L-PLNT-SHAD	251	CONTINUOUS	Plant and landscape material: shadow area
L-PLNT-SOIL	33	CONTINUOUS	Plant and landscape material: soil area
L-PLNT-SOIL-HTCH	8	CONTINUOUS	Plant and landscape material: soil area: hatch
L-PLNT-TEXT	11	SAMPLE TEXT	Plant and landscape material: text
L-PLNT-TREE	109	CONTINUOUS	Plant and landscape material: trees
L-PLNT-TREE-HTCH	250	CONTINUOUS	Plant and landscape material: trees hatch
L-PLNT-TREE-LINE	80	GEN-VEGETREE (COFC)	Plant and landscape material: tree: line
L-PLNT-TREE-TRCH	RED	CONTINUOUS	Plant and landscape material: trees: trench
L-PLNT-TURF	112	CONTINUOUS	Plant and landscape material: lawn areas
L-PLNT-VINE	29	CONTINUOUS	Plant and landscape material: vines
L-POND	160	CONTINUOUS	Pond
L-POND-BOTM	160	CONTINUOUS	Pond: bottom
L-POND-EDGE	160	CONTINUOUS	Pond: edge
L-POND-SWAY	160	CONTINUOUS	Pond: spillway
L-POND-TOPB	160	CONTINUOUS	Pond: top of bank
L-PRKG	120	CONTINUOUS	Parking lot
L-PRKG-MRKG	50	CONTINUOUS	Parking lot: pavement markings
L-PROF-1XWD-BLCK	CYAN	CONTINUOUS	Profile: extra wide lines 0.70 mm: black
L-PROF-1XWD-GREY	140	CONTINUOUS	Profile: extra wide lines 0.70 mm: grey
L-PROF-2XWD-BLCK	MAGENTA	CONTINUOUS	Profile: double extra wide lines 1.00 mm: black
L-PROF-2XWD-GREY	213	CONTINUOUS	Profile: double extra wide lines 1.00 mm: grey
L-PROF-CNTR	120	GEN-CENTRE (COFC)	Profile: centreline
L-PROF-DIMS	12	CONTINUOUS	Profile: dimensions
L-PROF-FINE-BLCK	247	CONTINUOUS	Profile: fine lines 0.18 mm: black

Note: Blocks may appear on multiple layers and are not restricted to the layer shown in this sample.

Z:\special\TI_contract_seed_directories\Construction Drafting Standards and Templates\DEVL\TMPL-LAND\LAND.dwg



LANDSCAPE & IRRIGATION LAYERS (6 of 11)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
L-PROF-FINE-GREY	250	CONTINUOUS	Profile: fine lines 0.18 mm: grey
L-PROF-MEDM-BLCK	RED	CONTINUOUS	Profile: medium lines 0.35 mm: black
L-PROF-MEDM-GREY	14	CONTINUOUS	Profile: medium lines 0.35 mm: grey
L-PROF-TEXT	11	SAMPLE TEXT	Profile: text
L-PROF-THIN-BLCK	50	CONTINUOUS	Profile: thin lines 0.25 mm: black
L-PROF-THIN-GREY	35	CONTINUOUS	Profile: thin lines 0.25 mm: grey
L-PROF-UFIN-BLCK	171	CONTINUOUS	Profile: ultra fine lines 0.05 mm: black
L-PROF-UFIN-GREY	154	CONTINUOUS	Profile: ultra fine lines 0.05 mm: grey
L-PROF-VIEW	110	CONTINUOUS	Profile: view
L-PROF-VIEW-GRID-MAJR	250	CONTINUOUS	Profile: view: grid: major
L-PROF-VIEW-GRID-MINR	253	CONTINUOUS	Profile: view: grid: minor
L-PROF-VIEW-TEXT	11	SAMPLE TEXT	Profile: view: text
L-PROF-WIDE-BLCK	WHITE	CONTINUOUS	Profile: wide lines 0.50 mm (primary design profile): black
L-PROF-WIDE-GREY	74	CONTINUOUS	Profile: wide lines 0.50 mm (primary design profile): grey
L-PROF-XFIN-BLCK	29	CONTINUOUS	Profile: extra fine lines 0.13 mm: black
L-PROF-XFIN-GREY	8	CONTINUOUS	Profile: extra fine lines 0.13 mm: grey
L-REFR	WHITE	CONTINUOUS	Reference: external files (images, pdfs, xrefs, etc)
L-ROAD-ACCS	120	CONTINUOUS	Roadways: access
L-ROAD-ASPH	120	CONTINUOUS	Roadways: asphalt
L-ROAD-ASPH-HTCH	8	CONTINUOUS	Roadways: asphalt: hatch
L-ROAD-CONC	130	CONTINUOUS	Roadways: concrete
L-ROAD-CONC-HTCH	8	CONTINUOUS	Roadways: concrete: hatch
L-ROAD-CURB	130	CONTINUOUS	Roadways: curb
L-ROAD-CURB-BACK	125	CONTINUOUS	Roadways: curb: back

Note: Blocks may appear on multiple layers and are not restricted to the layer shown in this sample.

Z:\special\TI_contract_seed_directories\Construction Drafting Standards and Templates\DEVL\TMPL-LAND\LAND.dwg



LANDSCAPE & IRRIGATION LAYERS (7 of 11)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
L-ROAD-CURB-FACE	130	CONTINUOUS _____	Roadways: curb: face
L-ROAD-EDGE	120	GEN-ROAD EDGE (COFC) _____ ///	Roadways: edge
L-SECT-1XWD-BLCK	CYAN	CONTINUOUS _____	Section: extra wide lines 0.70 mm: black
L-SECT-1XWD-GREY	140	CONTINUOUS _____	Section: extra wide lines 0.70 mm: grey
L-SECT-2XWD-BLCK	MAGENTA	CONTINUOUS _____	Section: double extra wide lines 1.00 mm: black
L-SECT-2XWD-GREY	213	CONTINUOUS _____	Section: double extra wide lines 1.00 mm: grey
L-SECT-DIMS	12	CONTINUOUS _____	Section: dimensions
L-SECT-FINE-BLCK	247	CONTINUOUS _____	Section: fine lines 0.18 mm: black
L-SECT-FINE-GREY	250	CONTINUOUS _____	Section: fine lines 0.18 mm: grey
L-SECT-HTCH	8	CONTINUOUS _____	Section: hatch
L-SECT-HTCH-WIDE	34	CONTINUOUS _____	Section: hatch (for dot patterns)
L-SECT-MEDM-BLCK	RED	CONTINUOUS _____	Section: medium lines 0.35 mm: black
L-SECT-MEDM-GREY	14	CONTINUOUS _____	Section: medium lines 0.35 mm: grey
L-SECT-SHDE	9	CONTINUOUS _____	Section: shading
L-SECT-TEXT	11	SAMPLE TEXT	Section: text
L-SECT-THIN-BLCK	50	CONTINUOUS _____	Section: thin lines 0.25 mm: black
L-SECT-THIN-GREY	35	CONTINUOUS _____	Section: thin lines 0.25 mm: grey
L-SECT-UFIN-BLCK	171	CONTINUOUS _____	Section: ultra fine lines 0.05 mm: black
L-SECT-UFIN-GREY	154	CONTINUOUS _____	Section: ultra fine lines 0.05 mm: grey
L-SECT-VIEW	110	CONTINUOUS _____	Section: view
L-SECT-VIEW-GRID-MAJR	250	CONTINUOUS _____	Section: view: grid: major
L-SECT-VIEW-GRID-MINR	253	CONTINUOUS _____	Section: view: grid: minor
L-SECT-VIEW-TEXT	11	SAMPLE TEXT	Section: view: text
L-SECT-WIDE-BLCK	WHITE	CONTINUOUS _____	Section: wide lines 0.50 mm: black

Note: Blocks may appear on multiple layers and are not restricted to the layer shown in this sample.

Z:\special\TI_contract_seed_directories\Construction Drafting Standards and Templates\DEVL\TMPL-LAND\LAND.dwg



LANDSCAPE & IRRIGATION LAYERS (8 of 11)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
L-SECT-WIDE-GREY	74	CONTINUOUS —————	Section: wide lines 0.50 mm: grey
L-SECT-XFIN-BLCK	29	CONTINUOUS —————	Section: extra fine lines 0.13 mm: black
L-SECT-XFIN-GREY	8	CONTINUOUS —————	Section: extra fine lines 0.13 mm: grey
L-SITE-ASPH	120	CONTINUOUS —————	Site features: asphalt
L-SITE-ASPH-D	WHITE	GEN-DEMO LINE (NCS) - - - - -	Site features: asphalt: to demolish / remove
L-SITE-ASPH-HTCH	8	CONTINUOUS —————	Site features: asphalt: hatch
L-SITE-BARR	130	CONTINUOUS —————	Site features: barriers
L-SITE-BARR-HTCH	8	CONTINUOUS —————	Site features: barriers: hatch
L-SITE-BERM	120	CONTINUOUS —————	Site features: berms
L-SITE-BIKE	51	CONTINUOUS —————	Site features: bike rack
L-SITE-BLDG-OTLN	RED	CONTINUOUS —————	Site features: building: outline
L-SITE-BOLL	120	CONTINUOUS —————	Site features: bollards
L-SITE-BRCK	120	CONTINUOUS —————	Site features: brick
L-SITE-BRCK-D	WHITE	GEN-DEMO LINE (NCS) - - - - -	Site features: brick: to demolish / remove
L-SITE-BRCK-HTCH	8	CONTINUOUS —————	Site features: brick hatch
L-SITE-BRDG-OTLN	RED	CONTINUOUS —————	Site features: bridge: outline
L-SITE-BSHL	RED	CONTINUOUS —————	Site features: bus shelter
L-SITE-CLAY	120	CONTINUOUS —————	Site features: clay
L-SITE-CLAY-HTCH	8	CONTINUOUS —————	Site features: clay: hatch
L-SITE-CONC	29	CONTINUOUS —————	Site features: concrete
L-SITE-CONC-AGGR	29	CONTINUOUS —————	Site features: concrete: exposed aggregate
L-SITE-CONC-D	WHITE	GEN-DEMO LINE (NCS) - - - - -	Site features: concrete: to demolish / remove
L-SITE-CONC-HTCH	8	CONTINUOUS —————	Site features: concrete: hatch
L-SITE-CTLJ	171	CONTINUOUS —————	Site features: control joint

Note: Blocks may appear on multiple layers and are not restricted to the layer shown in this sample.

Z:\special\TI_contract_seed_directories\Construction Drafting Standards and Templates\DEVL\TMPL-LAND\LAND.dwg



LANDSCAPE & IRRIGATION LAYERS (9 of 11)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
L-SITE-DECK	44	CONTINUOUS	Site features: deck (wood, typ.)
L-SITE-EXPJ	130	CONTINUOUS	Site features: expansion joint (for concrete only)
L-SITE-FURN	51	CONTINUOUS	Site features: furnishings (benches, etc)
L-SITE-GABN	120	CONTINUOUS	Site features: gabion
L-SITE-GARB	43	CONTINUOUS	Site features: garbage receptacles
L-SITE-GRVL	120	CONTINUOUS	Site features: gravel
L-SITE-GRVL-HTCH	8	CONTINUOUS	Site features: gravel: hatch
L-SITE-MAIL	51	CONTINUOUS	Site features: mail box
L-SITE-MOVE-STRC	25	CONTINUOUS	Site features: moveable: structures
L-SITE-PAVR	120	CONTINUOUS	Site features: unit pavers
L-SITE-PAVR-D	WHITE	GEN-DEMO LINE (NCS)	Site features: unit pavers: to demolish / remove
L-SITE-PAVR-HTCH	8	CONTINUOUS	Site features: unit pavers: hatch
L-SITE-PILE	RED	CONTINUOUS	Site features: pile
L-SITE-PLAY	32	CONTINUOUS	Site features: play structures
L-SITE-PLAY-EQPM	171	CONTINUOUS	Site features: play structures: equipment
L-SITE-PLAY-ZONE	8	DASHED	Site features: play structures: zoning
L-SITE-POLE	100	CONTINUOUS	Site features: pole (general)
L-SITE-POOL	181	CONTINUOUS	Site features: pools and spas
L-SITE-POOL-BACK	181	CONTINUOUS	Site features: pools and spas: back
L-SITE-POOL-FACE	181	CONTINUOUS	Site features: pools and spas: face
L-SITE-ROCK	37	CONTINUOUS	Site features: large rocks and rock outcroppings
L-SITE-RRAP	35	CONTINUOUS	Site features: riprap
L-SITE-RTWL	120	GEN-WALL (COFC)	Site features: retaining wall (flood walls, wingwalls, etc.)
L-SITE-RTWL-HTCH	8	CONTINUOUS	Site features: retaining wall (flood walls, wingwalls, etc.): hatch

Note: Blocks may appear on multiple layers and are not restricted to the layer shown in this sample.

Z:\special\TI_contract_seed_directories\Construction Drafting Standards and Templates\DEVL\TMPL-LAND\LAND.dwg



LANDSCAPE & IRRIGATION LAYERS (10 of 11)

LAYER NAME	COLOUR	LINETYPE/TEXT SAMPLE	DESCRIPTION
L-SITE-SIGN	100	CONTINUOUS	Site features: signs
L-SITE-SOIL	33	CONTINUOUS	Site features: soil area
L-SITE-SOIL-HTCH	8	CONTINUOUS	Site features: soil area: hatch
L-SITE-SPRT	53	CONTINUOUS	Site features: sports fields
L-SITE-SPRT-EQPM	53	CONTINUOUS	Site features: sports fields: equipment
L-SITE-SPRT-PERI	8	JIS_02_2.0	Site features: sports fields: perimeter
L-SITE-STEP	120	CONTINUOUS	Site features: steps
L-SITE-SWLK	130	CONTINUOUS	Site features: sidewalks and steps
L-SITE-SWLK-BACK	130	CONTINUOUS	Site features: sidewalks and steps: back (general)
L-SITE-SWLK-BACK-MONO	130	CONTINUOUS	Site features: sidewalks and steps: back: monolithic
L-SITE-SWLK-BACK-SEP~	130	CONTINUOUS	Site features: sidewalks and steps: back: separate
L-SITE-SWLK-FRNT	130	CONTINUOUS	Site features: sidewalks and steps: front
L-SITE-SWLK-HTCH	8	CONTINUOUS	Site features: sidewalks and steps: hatch
L-SITE-SWLK-RAMP	132	CONTINUOUS	Site features: sidewalks and steps: wheelchair ramp
L-SITE-TEXT	11	SAMPLE TEXT	Site features: text
L-SITE-TRAL	120	CONTINUOUS	Site features: trail or path
L-SITE-TRAL-ASPH	29	CONTINUOUS	Site features: trail or path: asphalt
L-SITE-TRAL-CNTR	29	GEN-CENTRE (COFC)	Site features: trail or path: centreline
L-SITE-TRAL-CONC	130	CONTINUOUS	Site features: trail or path: concrete
L-SITE-TRAL-GRVL	120	CONTINUOUS	Site features: trail or path: gravel
L-SITE-TRAL-HTCH	250	CONTINUOUS	Site features: trail or path: hatch
L-SITE-TRAL-RAMP	132	CONTINUOUS	Site features: trail or path: wheelchair ramp
L-SITE-WALL	17	CONTINUOUS	Site features: walls
L-SITE-WEIR	181	CONTINUOUS	Site features: weir

Note: Blocks may appear on multiple layers and are not restricted to the layer shown in this sample.

Z:\special\TI_contract_seed_directories\Construction Drafting Standards and Templates\DEVL\TMPL-LAND\LAND.dwg

LANDSCAPE & IRRIGATION LAYERS (11 of 11)

[illegible]

Note: Blocks may appear on multiple layers and are not restricted to the layer shown in this sample.

Z:\special\TI_contract_seed_directories\Construction Drafting Standards and Templates\DEVL\TMPL-LAND\LAND.dwg