THE CITY OF CALGARY LAND USE BYLAW 1P2007

OFFICE CONSOLIDATION

BYLAWS AMENDING THE TEXT OF BYLAW 1P2007

11P2008	June 1, 2008	11P2010	April 19, 2010	4P2013	March 1, 2013
13P2008	June 1, 2008	14P2010	May 17, 2010	5P2013	March 25, 2013
15P2008	June 1, 2008	26P2010	May 17, 2010	38P2013	September 2, 2013
47P2008	June 1, 2008	12P2010	June 7, 2010	44P2013	December 2, 2013
48P2008	June 1, 2008	19P2010	June 7, 2010	7P2014	April 14, 2014
49P2008	June 1, 2008	23P2010	June 7, 2010	33P2013	June 9, 2014
50P2008	June 1, 2008	32P2010	July 26, 2010	13P2014	June 9, 2014
53P2008	June 1, 2008	34P2010	August 19, 2010	15P2014	June 9, 2014
54P2008	May 12, 2008	39P2010	November 22, 2010	11P2014	June 19, 2014
57P2008	June 9, 2008	7P2011	January 10, 2011	24P2014	October 27, 2014
67P2008	October 1, 2008	13P2011	February 7, 2011	37P2014	December 22, 2014
68P2008	October 6, 2008	21P2011	June 20, 2011	5P2015	March 9, 2015
71P2008	December 22, 2008	24P2011	June 27, 2011	13P2015	May 13, 2015
51P2008	January 4, 2009	27P2011	July 1, 2011	26P2015	September 1, 2015
75P2008	January 4, 2009	30P2011	July 25, 2011	43P2015	November 9, 2015
1P2009	January 26, 2009	31P2011	September 12, 2011	40P2015	November 9, 2015
10P2009	April 21, 2009	33P2011	September 19, 2011	45P2015	December 8, 2015
17P2009	June 1, 2009	35P2011	December 5, 2011	15P2016	April 22, 2016
28P2009	July 13, 2009	36P2011	December 5, 2011		
31P2009	September 14, 2009	4P2012	January 10, 2012		
41P2009	October 13, 2009	2P2012	February 6, 2012		
32P2009	December 14, 2009	9P2012	April 23, 2012		
46P2009	December 14, 2009	12P2012	May 7, 2012		
38P2009	December 15, 2009	30P2012	November 5, 2012		
3P2010	March 1, 2010	32P2012	December 3, 2012		

NOTE:

Amending Bylaw numbers are located in the text of this document to identify that a change has occurred in a Section, Subsection or Clause. Amending Bylaws should be consulted for detailed information. Where the amendment corrected spelling, punctuation or type face, the amending bylaw number has not been noted in the document.

This document is consolidated for convenience only. The official Bylaw and all amendments thereto are available from the City Clerk and should be consulted in interpreting and applying this Bylaw.

Printed by the City Clerk by authority of City Council.

Land Use Planning in the Province of Alberta is regulated by the Municipal Government Act, Part 17, which contains the following purpose statement:

> The purpose of this Part and the regulations and bylaws under this Part is to provide means whereby plans and related matters may be prepared and adopted

- (a) to achieve the orderly, economical and beneficial development, use of land and patterns of human settlement, and
- (b) to maintain and improve the quality of the physical environment within which patterns of human settlement are situated in Alberta.

without infringing on the rights of individuals for any public interest except to the extent that is necessary for the overall greater public interest.

PUBLISHING INFORMATION

TITLE: THE CALGARY LAND USE BYLAW 1P2007

AUTHOR: LAND USE BYLAW SUSTAINMENT TEAM.

DEVELOPMENT & BUILDING APPROVALS,

PLANNING IMPLEMENTATION

STATUS: APPROVED BY CITY COUNCIL

2007 JULY 23

PRINTING DATE: 2008 AUGUST

ADDITIONAL COPIES: THE CITY OF CALGARY

DEVELOPMENT & BUILDING APPROVALS

PLANNING IMPLEMENTATION

DOCUMENT SALES CENTRE #8135

P.O. BOX 2100, STN M

CALGARY, ALBERTA T2P 2M5

PHONE: CALL 3-1-1

WEB: <u>calgary.ca/landusebylaw</u>

DOWNLOAD FROM: <u>calgary.ca/landusebylaw</u>

GO TO: The Calgary Land Use Bylaw, 1P2007

SECTI	ON PA	AGE
127 128 129	deletedd	121
Divisi	on 7: Requirements for Infrastructure Servicing	
129.1	Infrastructure Requirements13	30.1
	PART 4: USES AND USE RULES	
Divisi	on 1: General Provisions	
130 131 132 133 134 134.1	Interpretation	131 132 132 132
Divisi	on 2: Defined Uses	
135 136 137 138 139 140 141 142 143 144 145 146 147	Defined Terms Accessory Food Service Accessory Liquor Service Accessory Residential Building Addiction Treatment Adult Mini-Theatre Amusement Arcade deleted deleted Artist's Studio Asphalt, Aggregate and Concrete Plant Assisted Living Auction Market – Other Goods	133 134 134 135 135 136 136 136 137 138
148 149 150 151 152 153 153.1 154 155	Auction Market – Vehicles and Equipment. Auto Body and Paint Shop. Auto Service – Major. Auto Service – Minor. deleted. deleted. Backyard Suite. Bed and Breakfast. Beverage Container Drop-Off Depot.	139 140 141 142 142 142 143
155.1 156 157 158 158.1 159	Beverage Container Drop-Off Facility Billiard Parlour deleted deleted Building Supply Centre Bulk Fuel Sales Depot Campground	145 146 146 146 146 147

SECTI	ON	PAGE
161	Car Wash – Multi Vehicle	148
162	Car Wash – Single Vehicle	
163	Catering Service – Major	
164	Catering Service – Minor	
165	Child Care Service	
166	Cinema	
167	Columbarium	
168	Community Entrance Feature	
169	Community Recreation Facility	
170	Computer Games Facility	
170.1	Conference and Event Facility	
170.2	Contextual Semi-detached Dwelling	
171	Contextual Single Detached Dwelling	
172	deleted	
173	deleted	
174	Convenience Food Store	
175	Cottage Housing Cluster	
176	Counselling Service	
177	Crematorium	
177.1	Cultural Support	
178	Custodial Care	
179	Custodial Quarters	
180	Dinner Theatre	
181	Distribution Centre	
182	Drinking Establishment – Large	
183	Drinking Establishment – Medium	
184	Drinking Establishment – Small	
185	Drive Through	
186	Dry-cleaning and Fabric Care Plant	
187	Duplex Dwelling	
188	Dwelling Unit	
189	Emergency Shelter	
190	Equipment Yard	
191	Extensive Agriculture	
192	Fertilizer Plant	
193	Financial Institution	
194	Firing Range	
195	Fitness Centre	
195.1	Fleet Service	
195.1	deleted	
196	deleteddeleted	
197	Food Kiosk	
198		
	Freight Yard	
200	Funeral Home	
201	Gaming Establishment – Bingo	
202	Gaming Establishment – Casino	
203	Gas Bar	
ZU3.1	General Industrial – Heavy	TöÜ

SECTI	ON	PAGE
203.2	General Industrial – Light	181
203.3	General Industrial – Medium	
204	Health Services Laboratory – With Clients	
205	Health Services Laboratory – Without Clients	
206	Hide Processing Plant	
206.1	Home Based Child Care – Class 1	185
206.2	Home Based Child Care – Class 2	
207	Home Occupation – Class 1	
208	Home Occupation – Class 2	
208.1	Hospital	
209	Hotel	
210	deleted	
211	Indoor Recreation Facility	
212	deleted	
213	deleted	
214	deleted	
215	deleted	
216	Information and Service Provider	
217	Instructional Facility	
218	deleted	
218.1	Inter-City Bus Terminal	
219	Jail	
220	Kennel	
221	Large Vehicle and Equipment Sales	
222	Large Vehicle Service	
223	Large Vehicle Wash	
224	Library	
225	Liquor Store	
226	Live Work Unit	
227	Manufactured Home	
228	Manufactured Home Park	
229	deleted	
230	deleted	
231	deleteddeleted	
232	Market	
232.1	Market - Minor	
233	Medical Clinic	
233.1	Medical Marihuana Production Facility	
234	deleted	
235	deleted	
236	Motion Picture Filming Location	
237	Motion Picture Production Facility	
	•	
238	Multi Regidential Development	
239	Multi-Residential Development Miner	
240	Multi-Residential Development – Minor	
241	Municipal Works Depot	
242	Museum	
243	Natural Area	
244	Natural Resource Extraction	210

SECT	ON	PAGE
245	Night Club	210
246	Office	
247	Outdoor Café	
248	Outdoor Recreation Area	
249	Park	
250	Park Maintenance Facility – Large	
251	Park Maintenance Facility – Small	
252	Parking Lot – Grade	
252.1	Parking Lot - Grade (temporary)	
253	Parking Lot – Structure	
254	Pawn Shop	
254.1	Payday Loan	224
255	Performing Arts Centre	225
256	deleted	225
257	Pet Care Service	225
258	deleted	225
259	Pits and Quarries	225
260	Place of Worship – Large	226
261	Place of Worship – Medium	227
262	Place of Worship – Small	228
263	Post-secondary Learning Institution	229
264	Power Generation Facility – Large	230
265	Power Generation Facility – Medium	230
266	Power Generation Facility – Small	231
267	Print Centre	231
268	Printing, Publishing and Distributing	232
269	deleted	232
270	Protective and Emergency Service	232
270.1	Public Transit System	232
271	Race Track	
272	Radio and Television Studio	233
273	Recreational Vehicle Sales	234
274	Recreational Vehicle Service	
274.1	Recycleable Construction Material Collection Depot (Temporary)	
275	deleted	
276	Refinery	
277	Residential Care	
278	Restaurant: Food Service Only – Large	
279	Restaurant: Food Service Only – Medium	
280	Restaurant: Food Service Only – Small	
281	Restaurant: Licensed – Large	
282	Restaurant: Licensed – Medium	
283	Restaurant: Licensed – Small	
283.1	Restaurant: Neighborhood	
284	Restored Building Products Sales Yard	
285	Retail Garden Centre	
286	deleted	
286.1	Retail and Consumer Service	
287	Rowhouse Building	244

SECT	ION	PAGE
288	Salvage Processing – Heat and Chemicals	245
288.1	Salvage Yard	
289	Sawmill	246
290	School – Private	247
291	School Authority – School	248
292	School Authority Purpose – Major	249
293	School Authority Purpose – Minor	
294	Seasonal Sales Area	
295	Secondary Suite	
295.1	deleted	
295.2	deleted	251
296	Self Storage Facility	251
297	Semi-detached Dwelling	
298	Service Organization	
299	Sign – Class A	
300	Sign – Class B	
301	Sign – Class C	
302	Sign – Class D.	
303	Sign – Class E	
304	Sign – Class F	
304.1	Sign – Class G	
305	Single Detached Dwelling	
306	Slaughter House	
307	Social Organization	
308	Special Function – Class 1	
309	Special Function – Class 2	
309.1	Specialized Industrial	
310	Specialty Food Store	
311	Spectator Sports Facility	
312	Stock Yard	
313	Storage Yard	
314	Supermarket	
315	Take Out Food Service	267
316	Temporary Residential Sales Centre	
317	Temporary Shelter	
318	Tire Recycling	
319	Townhouse	
320	Tree Farm	
321	Utilities	
321.1	Utilities - Linear	
322		
	Utility Building	
323	Vehicle Rental – Major	
324	Vehicle Rental – Minor	
325	Vehicle Sales – Major	
326	Vehicle Sales – Minor	
327	Vehicle Storage – Large	
328	Vehicle Storage – Passenger	
329	Vehicle Storage – Recreational	
330	Veterinary Clinic	2/6

SECTI	ON	PAGE
331	deleted	276
332	deleted	276
333	Waste Disposal and Treatment Facility	276
	Wind Energy Conversion System - Type 1	
	Wind Energy Conversion System - Type 2	

PART 5: LOW DENSITY RESIDENTIAL DISTRICTS

Division 1: General Rules for Low Density Residential Land Use Districts

334	Projections Into Setback Areas	279
335	Length of Portions of a Building in Setback Areas	
336	Projections Into Front Setback Area	279
337	Projections Into Side Setback Area	280
338	Projections Into Rear Setback Area	
338.1	Patios	
339	Decks	282
340	Balconies	282
341	Driveways	283
342	Retaining Walls	284
343	Fences	
343.1	Solar Collectors	284
344	Objects Prohibited or Restricted	285
345	Accessory Residential Building	286
346	Restrictions on Use of Accessory Residential Building	
347	Contextual Single Detached Dwelling	287
347.1	Contextual Semi-detached Dwelling	289
347.2	Planting Requirement for Contextual Single Detached and Contextual	
	Semi-detached Dwellings	291
347.3	Permitted use Rowhouse Building	292
348	Visibility Setback	. 292.2
349	Roof Equipment Projection	. 292.2
350	Private Maintenance Easements	. 292.2
351	Secondary Suite	. 292.2
351.1	deleted	. 292.2
352	Backyard Suite	. 292.2
353	deleted	. 292.3
354	Accessory Suite Density	. 292.3
355	deleted	. 292.3
356	deleted	. 292.3
357	Parcels Deemed Conforming	
358	Dwellings Deemed Conforming	
359	Personal Sales	
360	Building Height	
361	Building Height on a Corner Parcel	
362	deleted	
363	Approved Building Grade Plans	
364	Gated Access	
365	Expempt Additions	
365.1	Cottage Housing Cluster	. 292.8

SECTI	ON	PAGE
Divisi	on 2: Residential – Contextual Large Parcel One Dwelling ((R-C1Ls) District	(R-C1L)
366	Purpose	203
367	Permitted Uses	
368	Discretionary Uses	
369	Permitted and Discretionary Uses for Parcels Designated R-C1Ls	
370	Rules	
371	Number of Main Residential Buildings on a Parcel	
371	Parcel Width	
373	Parcel Depth	
374	Parcel Area	
374		
376	Parcel Coveragedeleted	
376		
37 <i>1</i>	Building Setback Areas	
	Building Setback from Front Property Line	
379	Building Setback from Side Property Line	
380	Building Setback from Rear Property Line	
381	Building Height	
382	deleted	
383	deleted	296
Divisi	on 3: Residential – Contextual One Dwelling (R-C1) (R-C1s District)
384	Purpose	299
385	Permitted Uses	299
386	Discretionary Uses	299
387	Permitted and Discretionary Uses for Parcels Designated R-C1s	301
388	Rules	
389	Number of Main Residential Buildings on a Parcel	301
390	Parcel Width	
391	Parcel Depth	301
392	Parcel Area	302
393	Parcel Coverage	302
394	deleted	
395	Building Setback Areas	
396	Building Setback from Front Property Line	
397	Building Setback from Side Property Line	
398	Building Setback from Rear Property Line	
399	Building Height	
400	deleted	
401	deleted	
402	deleted	
403	deleted	

PAGE

Division 4:	Residential – Contextual Narrow Parcel One Dwelling
	(R-C1N) District

404	Purpose	307
405	Permitted Uses	
406	Discretionary Uses	307
407	Rules	308
408	Number of Main Residential Buildings on a Parcel	308
409	Parcel Width	308
410	Parcel Depth	309
411	Parcel Area	309
412	Parcel Coverage	309
413	deleted	309
414	Building Setback Areas	309
415	Building Setback from Front Property Line	309
416	Building Setback from Side Property Line	310
417	Building Setback from Rear Property Line	311
418	Building Height	311
419	deleteddeleted	311
420	deleted	311
421	deleted	311
422	deleted	311
423	Motor Vehicle Parking Stalls	311
424	sion 5: Residential – Contextual One / Two Dwelling (F	•
425	Permitted Uses	315
426	Discretionary Uses	315
427	Rules	317
428	Number of Main Residential Buildings on a Parcel	
429	Parcel Width	317
430	Parcel Depth	
431	Parcel	
432	Parcel Coverage	
433	deleted	
434	Building Setback Areas	
435	Building Setback from Front Property Line	
436	Building Setback from Side Property Line	
437	Building Setback from Rear Property Line	
438	Building Height	
439	deleted	
440	deleted	
441	deleted	320
441 442 443		320

SECT	ION	PAGE
Divis	ion 6: Residential – One Dwelling (R-1) (R-1s) District	
444	Purpose	325
445	Permitted Uses	
446	Discretionary Uses	325
447	Parcels Designated R-1s	
448	Rules	326
449	Number of Main Residential Buildings on a Parcel	326
450	Parcel Width	326
451	Parcel Depth	327
452	Parcel Area	327
453	Parcel Coverage	327
454	Building Setback Areas	327
455	Building Setback from Front Property Line	327
456	Building Setback from Side Property Line	327
457	Building Setback from Rear Property Line	328
458	Building Height	328
Divis	ion 7: Residential – Narrow Parcel One Dwelling (R-1N) D	istrict
459	Purpose	320
460	Permitted Uses	
461	Discretionary Uses	
462	Rules	
463	Number of Main Residential Buildings on a Parcel	
464	Parcel Width	
465	Parcel Depth	
466	Parcel Area	
467	Parcel Coverage	
468	Building Setback Areas	
469	Building Setback from Front Property Line	
470	Building Setback from Side Property Line	
471	Building Setback from Rear Property Line	
472	Building Height	
473	Motor Vehicle Parking Stalls	
Divis	ion 8: Residential – One / Two Dwelling (R-2) District	
474	Purpose	335
475	Permitted Uses	
476	Discretionary Uses	
477	Rules	
478	Number of Main Residential Buildings on a Parcel	
479	Parcel Width	
480	Parcel Depth	
481	Parcel Area	
482	Parcel Coverage	
483	Building Setback Areas	
484	Building Setback from Front Property Line	
485	Building Setback from Side Property Line	
486	Building Setback from Rear Property Line	

SECTION	ON PA	AGE
487	Building Height	339
488	Motor Vehicle Parking Stalls	
	·	
Division	on 9: Residential – Low Density Multiple Dwelling (R-2M) Distri	ct
489	Purpose	341
490	Permitted Uses	
490.1	Parcels Containing Suites	
491	Discretionary Uses	
492	Rules	
493	Density	
494	Parcel Width	
495	Parcel Depth	
496	Parcel Area	
497	Parcel Coverage	
498	Building Setback Areas	
499	Building Setback from Front Property Line	
500	Building Setback from Side Property Line	
501	Building Setback from Rear Property Line	
502	Building Height	
503	Garbage	
504	Recycling Facilities	
505	Motor Vehicle Parking Stalls	
Divisio	on 10: Residential – Manufactured Home (R-MH) District	
506	Purpose	347
507	Permitted Uses	347
508	Discretionary Uses	347
509	Rules	348
510	Density	348
511	Parcel Width	348
512	Parcel Frontage	348
513	Parcel Area	348
514	Parcel Coverage	348
515	Building Setback Areas	
516	Building Setbacks from a Property Line	348
517	Projections into Setback Areas	
518	Building Height	
519	Outdoor Private Amenity Space	
520	Manufactured Home Installation	
521	Accessory Residential Building	
522	Manufactured Home Park	
523	Garbage	
524	Recycling Facilities	351
Division 11: Grade-Oriented Infill (R-CG) District		
525	Purpose	353
526	Permitted Uses	
527	Discretionary Uses	

SECTI	ON	PAGE
528	Rules	354
529	Density	
530	Number of Main Residential Buildings on a Parcel	
531	Parcel Width	
532	Facade Width	
533	Parcel Area	
534	Parcel Coverage	
535	Building Depth	
536	Building Setback Areas	
537	Building Setback from Front Property Line	
538	Block Face RequirementS	
539	Building Setback from Side Property Line	
540	Building Setback from Rear Property Line	
541	Building Height	
542	Outdoor Private Amenity Space	
543	Landscaping	
544	Balconies	
545	Accessory Residential Buildings	
546	Motor Vehicle Parking Stalls	
	The total of a state of the sta	000. 1
Division	on 12: Residential – Low Density Mixed Housing (R-G) (R- District	-Gm)
547	Purpose	358.5
547.1	Permitted Uses	358.5
547.2	Discretionary Uses	
547.3	Permitted and Discretionary Uses for Parcels Designated R-Gm	358.6
547.4	Rules	358.7
547.5	Number of Main Residential Buildings on a Parcel	
547.6	Parcel Width	358.7
547.7	Parcel Area	
547.8	Parcel Coverage	358.7
547.9	Building Setback Areas	358.8
547.10	Building Setback from Front Property Line	358.8
	Building Setback from Side Property Line	
547.12	Building Setback from Rear Property Line	358.9
547.13	Building Height	358.9
547.14	Outdoor Private Amenity Space	358.9
547.15	Balconies	358.10
547.16	Driveways	358.10
	PART 6: MULTI-RESIDENTIAL DISTRICTS	
Divisi	on 1: General Rules for Multi-Residential Land Use Distric	cts
549	Projections Into Setback Areas	359
550	General Landscaped Area Rules	
551	Specific Rules for Landscaped Areas	
552	Planting Requirements	
553	Landscaped Area Reductions – Multi-Residential Development	

SECT	ION	PAGE
554	Street Oriented Multi-Residential Landscaping Option	363
556	Enhanced Landscaping Option	
556	Low Water Landscaping Option	
557	Amenity Space	
558	Motor Vehicle Parking Stall Requirements	
559	Bicycle Parking Stall Requirements in Multi-Residential Development	
560	Reduction for Transit Supportive Multi-Residential Development	
561	Parking Maximums Close to LRT Stations	
562	Minimum Motor Vehicle Parking Stall Requirements for Commercial	
	Multi-Residential Uses	374
563	Accessory Residential Buildings	374
564	Objects Prohibited or Restricted	375
565	Driveway Length and Parking Areas	375
566	Garbage	
567	Recycling Facilities	376
568	Mechanical Screening	376
569	Visibility Setback	377
570	Retaining Walls	377
571	Fences	377
571.1	Solar Collectors	377
572	Gated Access	378
573	Single Detached, Semi-Detached, Duplex Dwellings and Secondary S	uites
574	Parcel Access	
575	Commercial Multi-Residential Uses	378
Divisi	ion 2: Multi-Residential – Contextual Grade-Oriented (M-CG)	
	(M-CGd#) District	
576	Purpose	379
577	Permitted Uses	
578	Discretionary Uses	
579	Rules	
580	Density	
581	At Grade Orientation of Units	
582	Setback Area	
583	Building Setbacks	382
584	Landscaping	383
585	Building Height and Cross Section	383
Divisi	ion 3: Multi-Residential – Contextual Low Profile (M-C1) (M-C	1d#)
DIVISI	District	i am j
586	Purpose	387
587	Permitted Uses	
588	Discretionary Uses	
589	Rules	
590	Density	
591	Setback Area	
592	Building Setbacks	

SECTI	ION	PAGE
593	Landscaping	
594	Building Height and Cross Section	391
Divisi	ion 4: Multi-Residential – Contextual Medium Profile (M-C2) (M-C2d#) District	
595 596 597 598 599 600 601 602 603 604	Purpose Permitted Uses Discretionary Uses Rules Floor Area Ratio Density Setback Area Building Setbacks Landscaping Building Height and Cross Section	395 396 397 398 398 398 398
Divisi	ion 5: Multi-Residential – At Grade Housing (M-G) (M-Gd#) Di	istrict
605 606 607 608 609 610 611 612 613 614 615	Purpose Permitted Uses Discretionary Uses Rules Density Building Form Setback Area Building Setbacks Landscaping Building Height Amenity Space	403 404 405 405 406 406
Divisi	ion 6: Multi-Residential – Low Profile (M-1) (M-1d#) District	
616 617 618 619 620 621 622 623 624	Purpose Permitted Uses Discretionary Uses Rules Density Setback Area Building Setbacks Landscaping Building Height	407 408 408 409 409
Divisi	ion 7: Multi-Residential – Medium Profile (M-2) (M-2d#) Distri	ct
625 626 627 628 629	Purpose Permitted Uses Discretionary Uses Rules Floor Area Ratio	413 414 415
630	Density	

ON	PAGE
Setback Area Building Setbacks Landscaping Building Height	415 416
on 8: Multi-Residential – High Density Low Rise (M- District	H1) (M-H1d#)
Purpose Permitted Uses Discretionary Uses Rules Floor Area Ratio Density Setback Area Building Setbacks Landscaping Building Height Rules for Commercial Multi-Residential Uses	419 420 421 421 422 422 422 422
on 9: Multi-Residential – High Density Medium Rise (M-H2d#) District	(M-H2)
Purpose Permitted Uses Discretionary Uses Rules Maximum Floor Area Ratio Density Setback Area Building Setbacks Landscaping Building Height Rules for Commercial Multi-Residential Uses	425 426 427 427 428 428 428 428
on 10: Multi-Residential – High Density High Rise (N (M-H3f#h#d#) District	Л-Н3)
Purpose Permitted Uses Discretionary Uses Rules Floor Area Ratio Density Setback Area Building Setbacks Landscaping Building Height	
	Setback Area

SECTI	ON	PAGE
Divisi	on 11: Multi-Residential – Low Profile Support Commercia (M-X1d#) District	al (M-X1)
668	Purpose	437
669	Permitted Uses	
670	Discretionary Uses	438
671	Rules	439
672	Density	
673	Setback Area	
674	Building Setbacks	
675	Landscaping	
676	Building Height	
677	Rules for Commercial Multi-Residential Uses	442
Divisi	on 12: Multi-Residential – Medium Profile Support Commo (M-X2) (M-X2d#) District	ercial
678	Purpose	
679	Permitted Uses	
680	Discretionary Uses	
681	Rules	
682 683	Floor Area Ratio	
684	Density Setback Areas	
685	Building Setbacks	
686	Landscaping	
687	Building Height	
688	Rules for Commercial Multi-Residential Uses	
	PART 7: COMMERCIAL DISTRICTS	
Divisi	on 1: General Rules for Commercial Land Use Districts	
689	Projections Into Setback Areas	451
690	General Landscaped Area Rules	
691	Planting Requirements	
692	Low Water Irrigation System	
693	Additional Landscaping Requirements	
694	Landscaping for Large Parking Area	
695 696	Visibility Setback Mechanical Screening	
697	Garbage	
698	Recycling Facilities	
699	Screening	
699.1	Solar Collectors	
699.2	Wind Energy Conservation System	
700	Parcel Access	
Divisi	on 2: Commercial – Neighbourhood 1(C-N1) District	
701	Purpose	457

SECT	ION	PAGE
702	Permitted Uses	457
703	Discretionary Uses	
704	Rules	
705	Parcel Area	
706	Floor Area Ratio	
707	Building Height	
708	Building Location and Orientation	
709	Building Façade	
710	Vehicle Access	
711	Use Area	
712	Location of Uses within Buildings	
713	Front Setback Area	
714	Rear Setback Area	
715	Side Setback Area	
716	Landscaping In Setback Areas	
717	Minimum Required Motor Vehicle Parking Stalls	
718	Exclusive Use of Motor Vehicle Parking Stalls	
719	Required Bicycle Parking Stalls	
720	Exclusive Use of Bicycle Parking Stalls	
	ZXCIacivo Coo or Zioyolo i arining ciano illinininininininini	
Divisi	ion 3: Commercial – Neighbourhood 2(C-N2) District	
721	Purpose	467
722	Permitted Uses	467
723	Discretionary Uses	469
724	Rules	470
725	Parcel Area	470
726	Floor Area Ratio	470
727	Building Height	470
728	Use Area	470
729	Location of Uses within Buildings	471
730	Front Setback Area	471
731	Rear Setback Area	471
732	Side Setback Area	472
733	Landscaping In Setback Areas	472
734	Minimum Required Motor Vehicle Parking Stalls	473
735	Exclusive Use of Motor Vehicle Parking Stalls	474
736	Required Bicycle Parking Stalls	
737	Exclusive Use of Bicycle Parking Stalls	474
Divisi	ion 4: Commercial – Community 1(C-C1) District	
738	Purpose	475
739	Permitted Uses	
740	Discretionary Uses	
741	Rules	
742	Parcel Area	
743	Floor Area Ratio	
744	Building Height	
745	Ruilding Orientation	

SECT	ION	PAGE
746 747 748 749 750 751 752 753 754 755 756	Use Area. Rules for Location of Uses within Buildings Front Setback Area. Rear Setback Area. Side Setback Area. Landscaping In Setback Areas. Minimum Required Motor Vehicle Parking Stalls Reductions of Minimum Motor Vehicle Parking Requirement Exclusive Use of Motor Vehicle Parking Stalls Required Bicycle Parking Stalls Exclusive Use of Bicycle Parking Stalls	479 480 480 481 482 483 483
Divisi	ion 5: Commercial – Community 2 f#h#(C-C2f#h#) District	
757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775	Purpose	
Divisi	ion 6: Commercial – Corridor 1 f#h#(C-COR1f#h#) District	
776 777 778 779 780 781 782 783 784 785 786 787	Purpose	495 497 498 499 499 500 501
789 790	Side Setback AreaLandscaping In Setback Areas	

SECT	SECTION	
791	Minimum Required Motor Vehicle Parking Stalls	503
792	Excess Motor Vehicle Parking Stalls	
793	Exclusive Use of Motor Vehicle Parking Stalls	
794	Required Bicycle Parking Stalls	
795	Exclusive Use of Bicycle Parking Stalls	
Diviei	ion 7: Commercial – Corridor 2 f#h#(C-COR2 f#h#) Distric	
	•	
796	Purpose	
797	Permitted Uses	
798	Discretionary Uses	
799	Rules	
800	Parcel Area	
801	Floor Area Ratio	
802	Building Height	
803	Use Area	
804	Location of Uses within Buildings	
805	Front Setback Area	
806	Rear Setback Area	
807 808	Side Setback Area	
809	Landscaping In Setback Areas	
810	Minimum Required Motor Vehicle Parking Stalls Reductions of Minimum Motor Vehicle Parking Requirement	
811	Required Bicycle Parking Stalls	
812	Exclusive Use of Bicycle Parking Stalls	
012	Exclusive use of bicycle raiking Stalls	317
Divisi	ion 8: Commercial – Corridor 3 f#h#(C-COR3 f#h#) Distric	ct
813	Purpose	519
814	Permitted Uses	
815	Discretionary Uses	521
816	Rules	
817	Parcel Area	523
818	Floor Area Ratio	523
819	Building Height	523
820	Use Area	524
821	Front Setback Area	524
822	Rear Setback Area	524
823	Side Setback Area	524
824	Landscaping In Setback Areas	525
825	Minimum Required Motor Vehicle Parking Stalls	526
826	Reductions of Minimum Motor Vehicle Parking Requirement	526
827	Required Bicycle Parking Stalls	527
Divisi	ion 9: Commercial – Office f#h# (C-O f#h#) District	
828	Purpose	529
829	Permitted Uses	
830	Discretionary Uses	
831	Rules	
	Floor Area Ratio	

SECTI	ON	PAGE
833 834 835 836 837 838 839 840 841	Building Height Use Area Front Setback Area Rear Setback Area Side Setback Area Landscaping In Setback Areas Employee Area Reductions of Minimum Motor Vehicle Parking Requirement Excess Motor Vehicle Parking Stalls Required Bicycle Parking Stalls	532 532 532 533 533 534 534
Divisi	on 10: Commercial – Regional 1 f#(C-R1 f#) District	
843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860	Purpose Permitted Uses Discretionary Uses Rules Parcel Area Floor Area Ratio Building Height Buildings Use Area Building Entrance Features Front Setback Area Rear Setback Area Side Setback Area Landscaping In Setback Areas Minimum Required Motor Vehicle Parking Stalls Excess Motor Vehicle Parking Stalls Exclusive Use of Motor Vehicle Parking Stalls Required Bicycle Parking Stalls	538 538 539 540 540 540 540 541 541 541 541 543 543
Divisi	on 11: Commercial – Regional 2 f# (C-R2 f#) District	
861 862 863 864 865 866 867 868 869 870 871 872 873	Purpose Permitted Uses Discretionary Uses Rules Parcel Area Buildings Floor Area Ratio Building Height Location of Uses within Buildings Front Setback Area Rear Setback Area Side Setback Area Landscaping In Setback Areas Minimum Required Motor Vehicle Parking Stalls	545 547 549 549 549 549 550 550 550 550
875 876	Reductions of Minimum Motor Vehicle Parking Requirement Excess Motor Vehicle Parking Stalls	552

SECTION	ON	PAGE
877	Exclusive Use of Motor Vehicle Parking Stalls	
878 879	Required Bicycle Parking Stalls	
0/9	Exclusive Use of Bicycle Parking Stalls	555
Division	on 12: Commercial – Regional 3 f#h# (C-R3 f#h#) District	
880	Purpose	
881	Permitted Uses	
882	Discretionary Uses	
883 884	Rules	
885	Floor Area Ratio	
886	Transportation	
887	Building Orientation and Design	
888	Front Setback Area	
889	Rear Setback Area	
890	Side Setback Area	561
891	Landscaping In Setback Areas	561
892	Minimum Required Motor Vehicle Parking Stalls	
893	Reductions of Minimum Motor Vehicle Parking Requirement	
894	Excess Motor Vehicle Parking Stalls	
895	Exclusive Use of Motor Vehicle Parking Stalls	
896	Required Bicycle Parking Stalls	503
	PART 8: INDUSTRIAL DISTRICTS	
Division	on 1: General Rules for Industrial Land Use Districts	
897	Projections Into Setback Areas	565
898	General Landscaped Area Rules	
899	Planting Requirements	
900	Low Water Irrigation System	566
901	Visibility Setback	
902	Mechanical Screening	
903	Garbage	
904 904.1	Fences	
904.1	Solar Collectors	
904.3	Outdoor Display Area	
	Wind Energy Conversion System	
905	Parcel Access	
Diviei	on 2: Industrial – General (I-G) District	
	• •	=
906	Purpose	
907	Permitted Uses	
908	Discretionary Uses	
909 910	Rules	
911	Building SizeFloor Area Ratio	
912	Building Height	

SECTI	ON	PAGE
913	Building Setback	572
913.1	Storage of Goods, Materials and Supplies	
914	Screening	
914.1	Gross Floor Area for Offices and Administration Areas	573
915	Front Setback Area	
916	Rear Setback Area	
917	Side Setback Area	
918	Landscaping In Setback Areas	
919	Additional Landscaping Requirements	
920	Employee Area	
921	deleted	
	on 3: Industrial – Business f#h# (I-B f#h#) District	
922	Purpose	570
923	Permitted Uses	
924	Discretionary Uses	
	·	
925	Rules	
926	Floor Area Ratio	
927	Building Height	
928	Use Area	
928.1	Storage of Goods, Materials and Supplies	
929	Front Setback Area	
930	Rear Setback Area	
931	Side Setback Area	
932	Landscaping In Setback Areas	
933	Additional Landscaping Requirements	
934	Landscaping for Large Parking Area	585
935	Employee Area	586
936	Reductions to Minimum Motor Vehicle Parking Stalls	587
Divisi	on 4: Industrial – Edge (I-E) District	
937	Purpose	589
938	Permitted Uses	
939	Discretionary Uses	
940	Rules	
941	Floor Area Ratio	591
942	Building Height	591
943	Activities and Objects Prohibited	592
944	Use Area	592
945	Supplies and Products	592
946	Front Setback Area	
947	Rear Setback Area	
948	Side Setback Area	
949	Landscaping In Setback Areas	
950	Additional Landscaping Requirements	
951	Employee Area	
952	Screening	

SECTI	ON	PAGE
Divisi	on 5: Industrial – Commercial (I-C) District	
953	Purpose	597
954	Permitted Uses	
955	Discretionary Uses	599
956	Rules	600
957	deleted	
958	Floor Area Ratio	600
959	Building Height	
960	Use Area	
961	Front Setback Area	
962	Rear Setback Area	
963	Side Setback Area	
964	Landscaping In Setback Areas	
965	Additional Landscaping Requirements	
965.1	Storage of Goods, Materials and Supplies	
966	Employee Area	604
Divisi	on 6: Industrial – Redevelopment (I-R) District	
967	Purpose	605
968	Permitted Uses	605
969	Discretionary Uses	606
970	Rules	607
971	Building Size	608
972	Floor Area Ratio	608
973	Building Height	608
974	Building Design	
974.1	Building Setback	608
975	Front Setback Area	
976	Rear Setback Area	
977	Side Setback Area	
978	Landscaping In Setback Areas	
979	Additional Landscaping Requirements	
979.1	Storage of Goods, Materials and Supplies	
980	Employee Area	
981	deleted	612
Divisi	on 7: Industrial - Outdoor (I-O) District	
982	Purpose	
983	Permitted Uses	
984	Discretionary Uses	
985	Rules	
986	Parcel Area	
897	Building Size	
988	Building Height	
989	Storage of Goods, Materials and Supplies	
990	Front Setback Area	
991	Rear Setback Area	
992	Side Setback Area	615

SECTI	ON PA	AGE
993 994 995 996	Landscaping In Setback Areas Fencing and Screening Storm Water Management System Garbage	617 617 617
997	Mechanical Screening	
998 Divisi	Minimum Motor Vehicle Parking Stalls on 8: Industrial – Heavy (I-H) District	017
	- , ,	0.46
999	Purpose	
1000	Permitted Uses	
1001	Discretionary Uses	
1002	Rules	
1003	Front Setback Area	
1004 1005	Rear Setback Area	
1005	Side Setback Area	
1006	Landscaping In Setback Areas	
	Fencing and Screening	
1008	Storm Water Management System	
1009 1010	Garbage Mechanical Screening	
1010	Minimum Motor Vehicle Parking Stalls	
1011	Required Bicycle Parking Stalls	
Divisi	PART 9: SPECIAL PURPOSE DISTRICTS on 1: General Rules for Special Purpose Land Use Districts	
1013	Projections into Setback Areas	625
1014	General Landscaped Area Rules	
1015	Planting Requirements	626
1016	Low Water Irrigation System	627
1017	Visibility Setback	
1018	Mechanical Screening	627
1019	Garbage	627
	Solar Collectors	
	Wind Energy Conversion System	
1020	Parcel Access 62	28.1
Divisi	on 2: Special Purpose – Urban Nature (S-UN) District	
1021	Purpose	629
1022	Permitted Uses	
1023	Discretionary Uses	629
1024	Rules	630
Divisi	on 3: Special Purpose – School, Park and Community Reserve (S-SPR) District	
4005	,	624
	Purpose Permitted Uses	
1040	I CITHULU U353	UUI

SECTION	SECTION PAGE			
1027	Discretionary Uses			
1028	Rules	632		
1029	Front, Rear and Side Setback Area	632		
1030	Landscaping In Setback Areas			
1031	Additional Landscaping Requirements			
1032	Reductions to Minimum Required Motor Vehicle Parking Stalls	633		
Divisio	on 4: Special Purpose – Community Service (S-CS) District			
1033	Purpose	635		
1034	Permitted Uses	635		
1035	Discretionary Uses	635		
1036	Rules	636		
1037	Front, Rear and Side Setback Area	636		
1038	Landscaping In Setback Areas	636		
1039	Additional Landscaping Requirements	637		
1040	Reductions to Minimum Required Motor Vehicle Parking Stalls	637		
Divisio	on 5: Special Purpose – Recreation (S-R) District			
1041	Purpose	639		
1042	Permitted Uses			
1042	Discretionary Uses			
1044	Rules			
	Retail and Consumer Service Restrictions			
1045	Use Area			
1046	Front Setback Area			
1047	Rear Setback Area			
1048	Side Setback Area			
1049	Landscaping In Setback Areas			
1050	Additional Landscaping Requirements			
1051	Landscaping for Large Parking Area			
1052	Reductions to Minimum Required Motor Vehicles Parking Stalls			
Divisio	on 6: Special Purpose – Community Institution (S-CI) District			
1053	Purpose	645		
1054	Permitted Uses	645		
1055	Discretionary Uses	645		
1056	Rules	647		
1057	Building Height	647		
1058	Front Setback Area	648		
1059	Rear Setback Area	648		
1060	Side Setback Area	648		
1061	Landscaping In Setback Areas	648		
1062	Landscaping Requirements for Residential Care and Multi-Residential			
	Development	649		
1063	Additional Landscaping Requirements			
1064	Landscaping for Large Parking Area			
1065	Reductions to Minimum Required Motor Vehicle Parking Stalls	651		

Divisi	on 7: Special Purpose – City and Regional Infrastructure (S-C District	RI)
1066 1067 1068 1069 1070 1071 1072 1073	Purpose Permitted Uses Discretionary Uses Rules Setback Area Landscaping In Setback Areas Employee Area Reductions to Minimum Required Motor Vehicle Parking Stalls	653 654 655 655 656
Divisi	on 8: Special Purpose – University Research Park (S-URP) Dis	strict
1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084	Purpose Permitted Uses Discretionary Uses Rules Building Height Front Setback Area Rear Setback Area Side Setback Area Landscaping In Setback Areas Employee Area Reductions to Minimum Required Motor Vehicle Parking Stalls	657 658 658 658 659 659 659
Divisi	on 9: Special Purpose – Future Urban Development (S-FUD) District	
1085 1086 1087 1088 1089 1090 1091	Purpose Permitted Uses Discretionary Uses Rules Parcel Area Setback Areas Single Detached Dwellings and Manufactured Homes	661 661 662 663
Divisi	on 10: Special Purpose – Transportation and Utility Corridor (S-TUC) District	
1096 1097 1098 1098.1	Purpose Permitted Uses Discretionary Uses Rules Retail and Consumer Service Restrictions Development Permit Restrictions Projections into Setback Areas Setback Areas Specific Rules for Landscaped Areas	665 666 667 668 668 668
1098.2	Parcel Access	668

PART 10: DOWNTOWN

PART 11: CENTRE CITY DISTRICTS

Division 1:	General Rules fo	r Centre City	Multi-Residential	High Rise
	Land Use Distric	ets		

1099	Projections Into Setback Areas	673
1100	General Landscaped Area Rules	673
1101	Specific Rules for Landscaped Areas	675
1102	Planting Requirements	675
1103	Landscaped Area Reductions – Multi-Residential Development	676
1104	Enhanced Landscaping Option	676
1105	Low Water Landscaping Option	
1106	Amenity Space	
1107	Motor Vehicle Parking Stall Requirements	680
1108	Bicycle Parking Stall Requirement	
1109	Exclusive Use of Bicycle Parking Stalls	
1110	Accessory Residential Buildings	
1111	Objects Prohibited or Restricted	
1112	Driveway Length and Parking Areas	
1113	Vehicle Access	
1114	Uses At Grade	
1115	Garbage	
1116	Recycling Facilities	
1117	Mechanical Screening	
1118	Visibility Setback	
1119	Retaining Walls	
1120	Fences	
1120.1	Single detached, Semi-detached, Duplex Dwellings and Secondary Suites	685
1121	Parcel Access	
Divisi	on 2: Centre City Multi-Residential High Rise District (CC-MH)	
1122	Purpose	687
1123	Permitted Uses	
1124	Discretionary Uses	
1125	Rules	
1126	Floor Area Ratio	
1127	Setback Area	
1128	Building Setbacks	
1129	Floor Plate Restrictions	
1130	Building Height	
1131	Landscaping	
	Parking	
1101.1	i andrig	000
Divisi	on 3: Centre City Multi-Residential High Rise Support Commerc District (CC-MHX)	cial
4422	,	604
1132	Purpose	
1133	Permitted Uses	091

SECTI	ON	PAGE
1145	Discretionary Uses Rules Maximum Floor Area Ratio Setback Area Building Setbacks Floor Plate Restrictions Building Height Landscaping Use Area Location of Uses Within Buildings Hotel Uses Parking Use of Parking Areas	694 694 695 695 695 696 696
DIVISI	on 4: General Rules for Centre City Commercial Land Use Districts	
1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160	Projections Into Setback Areas General Landscaped Area Rules Planting Requirements Low Water Irrigation System Additional Landscaping Requirements Residential Amenity Space Visibility Setback Mechanical Screening Garbage Recycling Facilities Screening Motor Vehicle Parking Stall Requirements Exclusive Use of Motor Vehicle Parking Stalls Required Bicycle Parking Stalls Exclusive Use of Bicycle Parking Stalls Parcel Access on 5: Centre City Mixed Use District (CC-X)	697 698 698 700 700 700 700 701 703
1162 1163 1164 1165 1166 1167 1168 1169 1170 1171 1172 1173	Purpose Permitted Uses Discretionary Uses Rules Floor Area Ratio Building Height Building Orientation Front Setback Area Rear Setback Area Side Setback Area Floor Plate Restrictions Landscaping Landscaping in Setback Areas	705706708709709711711
1175	Location of Uses within Buildings	

SECT	ION	PAGE
1176	Use Area	713
1177	Motor Vehicle Parking Stall Requirements	714
1178	Supplies and Products	
Divis	ion 6: Centre City Commercial Corridor District (CC-COR)	
1179	Purpose	717
1180	Permitted Uses	
1181	Discretionary Uses	718
1182	Rules	
1183	Floor Area Ratio	720
1184	Building Height	720
1185	Building Orientation	720
1186	Building Facade	721
1187	Vehicle Access	721
1188	Use Area	721
1189	Location of Uses within Buildings	722
1190	Front Setback Area	722
1191	Rear Setback Area	723
1192	Side Setback Area	724
1193	Floor Plate Restrictions	725
1194	Landscaping in Setback Areas	725
1194.	Parking	
Divis	ion 7: Rules Governing Centre City Bonus Overlays	
1195	General	
1196	Bonus Area Boundaries	
1197	Bonus Area A	
1198	Bonus Area B	
1199	Bonus Area C	
1200	Bonus Area D	
1201	Bonus Area E	
1202	Heritage Density Transfer Increase	
1203	Bonus Earning Items	
1204	Sustainable Building Feature Limitation	
1205	Density Transfer Limitation	
1206	Bonus Floor Area Calcuation (Method 1)	
1207	Bonus Floor Area Calcuation (Method 2)	
1208	Bonus Floor Area Calcuation (Method 3)	
1209	Bonus Floor Area Calcuation (Method 4)	
1210	Bonus Floor Area Calcuation (Method 5)	
1211	Bonus Floor Area Calcuation (Method 6)	
1212	Heritage Density Transfer	
1213	Indoor Community Amenity Space	
1214	Publicly Accessible Private Open Space	
1215	Affordable Housing Units	732
1216	Average Land Value	732

PART 12: EAST VILLAGE DISTRICTS

Divisi	on 1: General Rules for Centre City East Village Districts	
1217	General Landscaped Area Rules	733
1218	Specific Rules for Landscaped Areas	
1219	Planting Requirements	734
1220	Low Water Irrigation System	734
1221	Amenity Space	735
1222	Visibility Setback	
1223	Mechanical Screening	735
1224	Garbage	
1225	Recycling Facilities	736
1226	Motor Vehicle Parking Stall Requirements	736
1227	Additional Motor Vehicle Parking Stall Requirements	
1228	Exclusive Use of Motor Vehicle Parking Stalls	
1229	Required Bicycle Parking Stalls	738
1230	Dwelling Unit Size	
1231	Building Design	739
1232	Building Types	
1233	Floor Plate Restrictions	739
1234	Riverbank Sunlight	
1235	Storage of Goods, Materials and Supplies	
1236	Setback	
1237	Building Orientation	
1238	Dwelling Units	
1239	Liquor Stores	
1240	Centre City East Village Special Areas	740
Divisi	on 2: Centre City East Village Recreational District (CC-ER)	
1241	Purpose	743
1242	Permitted Uses	
1243	Discretionary Uses	743
1244	Rules	
1245	Building Design	
1246	Motor Vehicle Parking Stalls	744
Divisi	on 3: Centre City East Village Mixed Use District (CC-EMU)	
1247	Purpose	745
1248	Permitted Uses	
1249	Discretionary Uses	
1250	Rules	
1251	Density	
1252	Location of Uses within Buildings	
1253	Use Area	
1254	Building Height	
1255	Use Area Width	
1256	Motor Vehicle Parking Stalls	

SECTI	ON	PAGE
Divisi	on 4: Centre City East Village Transition District (CC-ET)	
1257	Purpose	751
1258	Permitted Uses	
1259	Discretionary Uses	752
1260	Rules	
1261	Density	754
1262	Location of Uses within Buildings	754
1263	Use Area	
1264	Motor Vehicle Parking Stalls	755
1264.1	Restricted Parking Area	756
1265	Short Stay Parking Stalls	757
1266	Parking Stall Transfer from Municipal Historic Resource Sites	758
Divisi	on 5: Centre City East Village Primarily Residential District (CC-EPR)	
1267	Purpose	759
1268	Permitted Uses	759
1269	Discretionary Uses	760
1270	Rules	761
1271	Density	761
1272	Location of Uses within Buildings	762
1273	Use Area	762
1274	Use Area Width	763
1275	Motor Vehicle Parking Stalls	763
Divisi	on 6: Centre City East Village Integrated Residential Distric	t
	(CC-EIR)	
1276	Purpose	765
1277	Permitted Uses	765
1278	Discretionary Uses	766
1279	Rules	767
1280	Density	
1281	Location of Uses within Buildings	768
1282	Use Area	
1283	Use Area Width	
1284	Motor Vehicle Parking Stalls	770
Divisi	on 7: Centre City East Village River Residential District (CC	,
1285	Purpose	
1286	Permitted Uses	
1287	Discretionary Uses	
1288	Rules	
1289	Density	
1290	Location of Uses within Buildings	
1291	Use Area	
1292	Use Area Width	
1293	Motor Vehicle Parking Stalls	773

PART 13: COMMERCIAL RESIDENTIAL DISTRICTS

Division	1. Copora	I Dulas	for Comn	orcial Do	cidontial	Dietricte
LUVISION	T Genera	II KIIIDS	TOT CAMERIE	IDECTAL RE	CIMPHIAL	

1294	General Landscaped Area Rules	779
1295	Planting Requirements	
1296	Low Water Irrigation System	
1297	Additional Landscaping Rules	
1298	Residential Amenity Space	
1299	Garbage	
1300	Recycling Facilities	
1301	Mechanical Screening	
1302	Visibility Setback	
1303	Sunlight Protection Area	
1304	Parcel Access	
1305	Purpose	785
1306	Permitted Uses	
1307	Discretionary Uses	787
1308	Transition Area	789
1309	Rules	789
1310	Floor Area Ratio	789
1311	Sunlight Preservation Density Transfer	790
1312	Building Height	
1313	Residential Window Separation from the Property Line	790
1314	Floor Plate Restrictions	790
1315	Ground Floor Height	791
1316	Use Area	
1317	Office Gross Floor Area and Location	792
1318	Location of Uses with Buildings	
1319	Use Activities	
1320	Lobbies at Grade	
1321	Street Walls	
1322	Stephen Avenue Mall - Building Orientation	
1323	Stephen Avenue Mall - Building Design	
1324	Landscaping	
1325	Motor Vehicle Parking Stalls	
1326	Restricted Parking Area	
1327	Short Stay Parking Stalls	
1328	Parking Stall Transfer from a Municipal Historic Resource	
1329	Location of Motor Vehicle Parking Stalls	
1330	Bicycle Parking Stall Requirements	
1331	Location of Bicycle Parking Stalls	0U I
Divisi	on 3: Commercial Residential District (CR20-C20/R20)	
1332	Incentive Density Calculation Method	803

SECTION		PAGE
	LIST OF SCHEDULES	
Schedule A Schedule B	Groups of Uses	
LI	ST OF MAPS, TABLES AND ILLUSTRATIONS	
Maps		
Map 1: Map 2: Map 3: Map 4: Map 5: Map 6: Map 7: Map 7.1: Map 8: Map 10:	Deleted Developed Area and Developing Area Major Parks Deleted Deleted Deleted Parking Areas Map Commercial Parking Reduction Map Special Purpose Transportation and Utility Corridor Area Centre City East Village Special Areas	16 110 127 128 129 373 .506.1 669
Tables		
Table 1: Table 2: Table 3: Table 4: Table 5: Table 6: Table 7: Table 8:	Road Rights-of-Way	115 365 366 677 678
Illustrations		
Illustration 1: Illustration 2: Illustration 3:	Building Height in the Developing Area Building Height in the Developed Area Building Height and Cross Section in the Multi-Residential Contextual Grade Oriented (M-CG) District	.292.6
Illustration 4:	Building Height and Cross Section in the Multi-Residential	
Illustration 5:	Contextual Low Profile (M-C1) District Building Height and Cross Section in the Multi-Residential Contextual Medium Profile (M-C2) District	
Illustration 6:	Building Height in the Multi-Residential Low Profile (M-1) District	
Illustration 7:	Building Height in the Multi-Residential	
Illustration 8:	Medium Profile (M-2) District	
Illustration 9:	Building Height in Multi-Residential – Medium Profile Support Commercial (M-X2) District	448

- (26) "building reference points" means the geodetic elevation of four points:
 - (a) located at the intersection of the *front property line* and each *side property line*;
 - (b) located at the intersection of the *rear property line* and each *side property line*; and
 - (c) where each pair of points must be considered as corresponding.
- (27) "building setback" means the distance from a property line to the point on a parcel where a building is located measured at a right angle from the property line to which it relates.
- (28) "calliper" means the diameter of the trunk of a tree measured at 0.3 metres above the ground.
- (28.1) "carriage house lot" means a small parcel containing one Dwelling Unit in a Single Detached Dwelling or Semi-detached Dwelling where the parcel:

33P2013, 15P2016

- (a) shares a **side property line** or **rear property line** with a **lane**; and
- (b) is connected to a public street using a panhandle with a front property line that is between 3.0 metres and 1.5 metres in length.
- (28.2) "Central Business District Improvement Fund" means a civic fund into which financial contributions made towards additional floor area ratio in accordance with the incentive provisions in Part 13, Division 3 are collected.
- (29) "City Manager" means the Chief Administrative Officer of the City of Calgary.
- (30) "City" means The City of Calgary, a municipal corporation in the Province of Alberta, or the area within the corporate limits of The City of Calgary, as the context requires.
- (31) "commercial district" means any one or more of the land use districts described in Part 7 and the CC-X and CC-COR districts contained in Part 11.

51P2008

(32) "commercial multi-residential uses" means any one or more of the following uses, when referenced in a multi-residential district:

39P2010, 7P2011, 5P2015

- (a) Convenience Food Store;
- (b) Counselling Service;
- (c) **Drinking Establishment Small**;
- (d) Information and Service Provider;
- (e) Office;
- (f) Outdoor Café:

- (g) Print Centre;
- (h) Restaurant: Food Service Only Small;
- (i) Restaurant: Licensed Small;
- (j) Restaurant: Neighbourhood;
- (k) Retail and Consumer Service:
- (I) Service Organization
- (m) Specialty Food Store; and
- (n) Take Out Food Service.
- (33) "common amenity space" means a space designed for active or passive recreational use that is provided for the use of all of the occupants of a development.
- (34) "common amenity space indoors" means common amenity space that is located in a building.
- (35) "common amenity space outdoors" means common amenity space that is not located in a building.
- (36) "contextual adjacent buildings" means the two closest buildings to a parcel:
 - (a) located on the same block face not separated by a **street**;
 - (b) in the case of *low density residential district* where the *building* is on a *parcel* designated as a *residential district*; and
 - (c) where the *building* is not an **Accessory Residential Building**.
- (37) "contextual building depth average" means:
 - (a) where there are at least two other buildings on the same block face, the average building depth of the contextual adjacent buildings plus 4.6 metres;
 - (b) where there is only one other *building* on the same block face, the *building depth* of such *building* plus 4.6 metres; and
 - (c) where there is no other *building* on the same block face, 65.0 per cent of *parcel depth*.

(38) deleted

44P2013

3P2010

(96.1) "Officer" means a Bylaw Enforcement Officer or a Peace Officer.

9P2012

- (97) "open balcony" means a balcony that is unenclosed on three sides, other than by a railing, balustrade or privacy wall.
- (98) "overland flow area" means those lands abutting the floodway or the flood fringe, the boundaries of which are indicated on the Floodway/ Flood Fringe Maps that would be inundated by shallow overland floodwater in the event of a flood of a magnitude likely to occur once in one hundred years.

(99) "parcel" means

32P2009

- (a) the aggregate of the one or more areas of land described in a certificate of title or described in a certificate of title by reference to a plan filed or registered in a land titles office; and
- (b) in the R-C1L, R-C1Ls, R-C1, R-C1s, R-C1N, R-C2, R-1, R-1s, R-1N, R-2, R-CG, R-G and R-Gm districts, includes a *bare land unit* created under a condominium plan;

24P2014, 15P2016

(100) "parcel coverage" means the cumulative building coverage of all buildings on a parcel excluding, Accessory Residential Buildings which in aggregate are less than 10.0 square metres.

47P2008, 5P2013

- (101) "parcel depth" means the length of a line joining the mid-points of the front property line and the rear property line.
- (102) "parcel width" means the distance between the side property lines of a parcel measured at a right angle to the mid-point of the shortest side property line.
- (102.1) "parking area short stay" means an area designed for the parking of motor vehicles within a building where:


- (a) the vehicle remains parked for no more than 4 hours at a time; and
- (b) there is convenient pedestrian access to the street level and publicly accessible **uses** within the **development**.
- (103) "patio" means an uncovered horizontal structure with a surface height, at any point, no greater than 0.60 metres above grade, intended for use as an outdoor amenity space.
- (104) "permitted use" means a use of land or a building that is listed as such use in a land use district or a Direct Control District Bylaw.
- (105) "personal sale" means the sale of goods and includes sales commonly known as garage sales, yard sales, moving sales and estate sales.
- (106) "pick-up and drop-off stall" means a motor vehicle parking stall intended only for a motor vehicle to stop while picking up or dropping off passengers.

35P2011

(107) "plan of subdivision" means a plan of subdivision registered or approved for registration at the land titles office.

(108) "porch" means an unenclosed, covered structure forming an entry to a building.

Primary and Secondary Building Wall Subsection 13(108.1) and 13(122.1)



(108.1) "primary building wall" means any exterior building wall that forms part of a façade that contains a public entrance and faces, or is oriented to, a street or a parking area on the same parcel as illustrated in Sign Illustration 2, with the exception that corner sites facing public streets can have two primary building walls not withstanding one façade may not contain a public entrance.

35P2011

(109) "privacy wall" means a structure that:

13P2008, 67P2008

- (a) provides visual **screening**;
- (b) is located on a **balcony**, **deck** or **patio**; and
- (c) does not include a railing or balustrade.
- (110) "private amenity space" means amenity space provided for the use of the occupants of only one unit.
- (111) "private condominium roadway" means an area of land that provides access to a parcel, and is contained within:
 - (a) common property forming part of a bare land condominium plan; or
 - a bare land unit that is used for the purpose of accommodating a private roadway for access purposes in accordance with an easement agreement registered on it.
- (112) "private garage" means an Accessory Residential Building or a part of a main residential building which accommodates the storage or shelter of vehicles and includes a carport.
- (113) "property line" means the legal boundary of a parcel.
- (114) "public area" means the floor area of a use that allows access to the public, but does not include washrooms, hallways accessing washrooms or entrance vestibules.
- (115) "public entrance" means an entrance to a building which is open to the general public.
- (116) "rear property line" means the property line opposite to and farthest from the front property line, or in the case of an irregular parcel, the rear property line is established by drawing a line the maximum distance from the front property line that:

- (a) is wholly within the *parcel*;
- (b) is not less than 3.0 metres long; and
- (c) runs parallel to the *front property line*, or, if the *front property line* is a curved line, runs parallel to the straight line between the two end points of the curve of the *front property line*.

(117) "rear setback area" means an area of a parcel defined by the rear property line, the side property lines that intersect with the rear property line, and a line parallel to the rear property line measured at the minimum depth of the setback area required by the District.

33P2013

- (117.1) "receiving parcel" means the parcel, comprising the area of the Municipal Historic Resource, that will receive the transfer of motor vehicle parking stalls from a transferring parcel.
- (118) "recessed balcony" means a balcony that is enclosed on at least two sides other than by a railing, balustrade or privacy wall.
- (119) "recreational vehicle" means a vehicle that provides temporary accommodation for recreational or travel purposes and includes but is not limited to:
 - (a) motor homes;
 - (b) travel trailers;
 - (c) fifth wheel travel trailers;
 - (d) campers, whether located on a truck or other vehicle or not;
 - (e) tent trailers;
 - (f) boats; and
 - (g) a trailer used to transport any of the above.

32P2009

- (119.1) "research and development" means the process of creating or improving products and services by way of information obtained through experimental qualitative and quantitative testing for industries such as, but not limited to, pharmaceuticals, bio-technology, computer software, medical instrumentation, aerospace and electronics manufacturers:
- (120) "residential district" means any of the land use districts in the low density residential districts and the multi-residential districts.
- (121) "retaining walf" means a structure constructed to withstand lateral pressure in order to hold back earth, loose rock, or similar materials.

38P2013, 24P2014, 15P2016

(121.1) deleted

24P2014

(121.2) "rotor's arc" means the largest circumferential path travelled by a blade.

33P2013

(121.3) "scramble parking" means a parking area where the motor vehicle parking stalls are not assigned to individual users or vehicles and where access is available to vehicles for periods no longer than four hours at a time.

Division 2: Defined Uses

Defined Terms

135 In this Bylaw, the following terms have the following meanings.

136 "Accessory Food Service"

- (a) means a portion of a premises used for the sale and consumption of food for the patrons of, and located within, another approved *use*;
- (b) is a **use** within the Subordinate Use Group in Schedule A to this Bylaw;
- (c) may have a maximum floor area of 15.0 square metres to accommodate food preparation and seating area;
- (d) must operate only in conjunction with another approved *use*;
- (e) must not have an independent customer access from the **building** in which the **use** is located;
- (f) does not require *motor vehicle parking stalls*; and
- (g) does not require bicycle parking stalls class 1 or class 2.

137 "Accessory Liquor Service"

- (a) means a portion of a premises used for the sale and consumption of alcoholic beverages for the patrons of another approved use;
- (b) is a **use** within the Subordinate Use Group in Schedule A to the Bylaw;
- (c) must serve only the patrons attending events or performances at the *use* in which it is located;
- (d) must not provide any seating area for the patrons;
- (e) does not require *motor vehicle parking stalls*; and
- (f) does not require *bicycle parking stalls class 1* or *class 2*.

138 "Accessory Residential Building"

12P2010, 5P2013, 44P2013, 24P2014

- (a) means a **use** where a **building**:
 - (i) accommodates a **use** that is subordinate to the main residential **use** on a **parcel**;
 - is not attached to a *main residential building* except where the attachment is entirely below *grade* or directly below a *patio*; and
 - (iii) may be attached to a **Backyard Suite** on a **parcel** where a **Backyard Suite** is a listed **use** in the applicable land use district;
 - (b) is a *use* with in the Subordinate Use Group in Schedule A to this Bylaw;
- (c) does not require *motor vehicle parking stalls*, and
- (d) does not require *bicycle parking stalls class 1* or *class 2*.

139 "Addiction Treatment"

- (a) means a *use*:
 - (i) where one or more persons with alcohol, drug or similar addiction issues live under the care or supervision of professional health or counselling care providers; and
 - (ii) that has at least one staff person at the facility at all times;
- (b) is a **use** within the Care and Health Group in Schedule A to this Bylaw;
- (c) may have a maximum of 10 residents when located in a *low* density residential district;
- requires a minimum of 1.0 motor vehicle parking stalls per three (3) residents; and
- (e) does not require *bicycle parking stalls class 1* or *class 2*.

- (i) shown on plans required at the time the application for the **use** is made:
- (ii) located where, in the opinion of the *DevelopmentAuthority*, it is least likely to adversely affect neighbouring properties; and
- (iii) constructed of materials and to the standards required by the **Development Authority**;
- (j) must not keep vehicles outside of a *building* or *screened* enclosure for more than 72 consecutive hours;
- (k) requires a minimum of 2.0 *motor vehicle parking stalls* per 100.0 square metres of *gross usable floor area*;
- (I) does not require bicycle parking stalls class 1; and
- (m) requires a minimum of 1.0 *bicycle parking stalls class 2* per 2000.0 square metres of *gross usable floor area*.

151 "Auto Service – Minor"

- (a) means a *use*:
 - (i) where motor vehicles are serviced and repaired in a building provided they are not large vehicles or recreational vehicles; and

67P2008, 71P2008, 44P2013

(ii) where no more than three motor vehicles are capable of being serviced or repaired at a time;

67P2008

(iii) deleted

67P2008

- (b) is a *use* within the Automotive Service Group in Schedule A to this Bylaw;
 - must not have more than 200 square metres of floor area designated for the servicing of motor vehicles, excluding areas used for administration and storage, which must be shown on the plan submitted for a **development permit**;

67P2008

(c) deleted

(b.1)

- (d) must not manufacture or re-manufacture auto parts for retail or wholesale distribution:
- (e) must orient any *building* on the *parcel* to minimize any potential adverse affects on *adjacent uses*;
- (f) must have service bay doors oriented away from an adjacent residential district;
- (g) must keep service bay doors closed, except when being used by vehicles to exit or enter the service bay;

47P2008

- (h) must not have any vehicle exiting doors located within 23.0 metres of a residential district, when measured to the nearest property line of a parcel designated as a residential district;
- (i) may have activities associated with the use, auto parts, equipment, scrap, and other materials located outside of a building, provided they are within a screened enclosure that must be:
 - (i) shown on plans required at the time the application for the *use* is made:
 - (ii) located where, in the opinion of the **Development Authority**, it is least likely to adversely affect neighbouring properties; and
 - (iii) constructed of materials and to the standards required by the **Development Authority**;
- (j) must not keep vehicles outside of a *building* or *screened* enclosure for more than 72 consecutive hours;
- (k) requires a minimum of 2.0 *motor vehicle parking stalls* per 100.0 square metres of *gross usable floor area*;
- (I) does not require *bicycle parking stalls class 1*; and
- (m) requires a minimum of 1.0 *bicycle parking stalls class 2* per 2000.0 square metres of *gross usable floor area*.

32P2009 **152** *deleted* 32P2010 **153** *deleted*

24P2014, 15P2016 153.1 "Backyard Suite"

- (a) means a **use** that:
 - contains two or more rooms used or designed to be used as a residence by one or more persons;
 - (ii) contains a **kitchen**, living, sleeping and sanitary facilities:
 - (iii) is located in a detached *building* located behind the front façade of the *main residential building*;
 - (iv) may be attached to an **Accessory Residential Building**;
 - (v) is considered part of and secondary to a **DwellingUnit**:

- (vi) except as otherwise indicated in subsection (vii) and (viii), must be located on the same *parcel* as a Contextual Single Detached Dwelling or a Single Detached Dwelling;
- (vii) in the R-CG District must be located on the same parcel as a Dwelling Unit in a Contextual Semi-Detached Dwelling, Contextual Single Detached Dwelling, Rowhouse Building, Semi-Detached Dwelling, or a Single Detached Dwelling; and
- (viii) in the R-G and R-Gm Districts must be located on the same *parcel* as a **Dwelling Unit** in a **Rowhouse Building**, **Semi-detached Dwelling** or a **Single Detached Dwelling**;
- (b) is a **use** within the Residential Group in Schedule A to this Bylaw;
- (c) requires a minimum of 1.0 *motor vehicle parking stalls*; and
- (d) does not require bicycle parking stalls class 1 or class 2.

154 "Bed and Breakfast"

(a) means a **use**:

27P2011

- (i) where the provision of overnight accommodation is provided to guests, in a bedroom in a Contextual Semi-detached Dwelling, Contextual Single Detached Dwelling, Semi-detached Dwelling or Single Detached Dwelling that is occupied by its owner or operator, who may also provide breakfast but no other meals to the guests; and
- (ii) that must not provide liquor;

13P2008

- (b) is a **use** within the Subordinate Use Group in Schedule A to this Bylaw;
- (c) may have a maximum of four guest bedrooms at any one time;
- (d) may not have more than one employee or business partner working on the parcel who is not a resident of the Contextual Semi-detached Dwelling, Contextual Single Detached Dwelling, Semi-detached Dwelling or Single Detached Dwelling;
- (e) may provide meals to a guest only between the hours of 5:00 AM and 12:00 PM;
- (f) must not contain any cooking facilities in guest bedrooms;
- (g) must not display any **signs** on the **parcel**;
- (h) *deleted* 14P2010

27P2011

- (i) requires a minimum of 1.0 *motor vehicle parking stalls* per guest bedroom in addition to the required stalls for the Contextual Semi-detached Dwelling, Contextual Single Detached Dwelling, Semi-detached Dwelling or Single Detached Dwelling containing the *use*;
- (j) may provide a maximum of 2.0 motor vehicle parking stalls in tandem to other motor vehicle parking stalls located on the parcel; and
- (k) does not require *bicycle parking stalls class 1* or *class 2*.

37P2014

155 "Beverage Container Drop-Off Depot"

- (a) means a use where:
 - bottles and other beverage containers are taken for return and reimbursement of the recycling deposit applied to the container at the time the beverage is purchased;
 - (ii) other types of recyclable material, which do not require the refund of a deposit may be returned; and
 - (iii) bottles and other beverage containers may be sorted and stored on site:
- (b) is a **use** within the Industrial Support Group in Schedule A to this Bylaw;
- (c) must not be a combined use with a Liquor Store;
- (d) when located within 300.0 metres to a *parcel* designated as a *residential district*, must:
 - (i) not have any outside storage of carts, bottles, other beverage containers, palettes, or cardboard boxes;
 - (ii) not allow for loading or the movement of recyclable material from the premise between the hours of 9:00pm-7:00am;
 - (iii) not have compaction of materials occurring outside of a **building**;
- (e) unless otherwise referenced in subsection (d):
 - (i) must provide total concealment, through a solid screen or fence, for any materials located outside of a building;
 - (ii) may be required to demonstrate how impacts such as debris, grocery carts, litter or recyclable material will be managed;
- (f) requires a minimum of 2.5 *motor vehicle parking stalls* per 100.0 square metres of *gross usable floor area*;

- (g) does not require bicycle parking stalls class 1; and
- (h) requires a minimum of 1.0 *bicycle parking stalls class 2* per 250.0 square metres of *gross usable floor area*.

"155.1 "Beverage Container Quick Drop Facility"

- (a) means a **use** where:
 - bottles and other beverage containers are taken for return and reimbursement of the recycling deposit applied to the container at the time the beverage is purchased;
 - (ii) bottles and other beverage containers are removed from the site for storage or sorting;
 - (iii) reimbursement is done through direct deposit into a pre-registered account and no reimbursement of the recycling deposit occurs on-site; and
 - (iv) there is no sorting or long-term storage of bottles onsite:
- (b) is a **use** within the Industrial Support Group in Schedule A to this Bylaw;
- (c) when located within 300.0 metres to a *parcel* designated as a *residential district*, must:
 - (i) not have any outside storage of carts, bottles, other beverage containers, palettes, or cardboard boxes;
 - (ii) not allow for loading or the movement of recyclable material from the premise between the hours of 9:00pm-7:00am;
 - (iii) not have compaction of materials occurring outside of a **building**;
- (d) unless otherwise referenced in subsection (c):
 - (i) must provide total concealment, through a solid screen or fence, for any materials located outside of a building;
 - (ii) may be required to demonstrate how impacts such as debris, grocery carts, litter or recyclable material will be managed;
- (e) requires a minimum of 2.5 *motor vehicle parking stalls* per 100.0 square metres of *gross usable floor area*;
- (f) does not require *bicycle parking stalls class 1*; and

(g) requires a minimum of 1.0 *bicycle parking stalls – class 2* per 250.0 square metres of *gross usable floor area*.

156 "Billiard Parlour"

- (a) means a **use**:
 - (i) where the primary function is the rental of billiard tables, pool tables or similar games tables to the public for a fee; and
 - (ii) that may include a maximum of three (3) mechanical or electronic games that are kept for the purpose of furnishing entertainment or amusement;
- (b) is a *use* within the Culture and Leisure Group in Schedule A to this Bylaw;
- (c) requires a minimum of 11.0 *motor vehicle parking stalls* per 100.0 square metres of *gross usable floor area*;
- (d) does not require *bicycle parking stalls class 1*; and
- (e) requires a minimum of 1.0 *bicycle parking stalls class 2* per 250.0 square metres of *gross usable floor area*.

32P2009 **157** *deleted*

32P2009 **158** *deleted*

32P2009 158.1 "Building Supply Centre"

- (a) means a *use*:
 - (i) where materials and supplies required for construction or assembly in a specific trade are sold including, but not limited to, lumber, plumbing, electrical and millwork;
 - (ii) that may include the incidental sales and rental of products and equipment related to the materials and supplies being sold;
 - (iii) that may include the sale and rental of tools and construction equipment;
 - (iv) that may include the outdoor storage of the materials and supplies being sold or rented; and
 - (v) that does not include the sale of home furnishings, household appliances, furniture or electronics;
- (b) is a **use** within the Industrial Support Group in Schedule A to this Bylaw;
- (c) that has maximum *gross floor area* of 3500.0 square metres;

295 "Secondary Suite"

12P2010, 24P2014

(a) means a **use** that:

15P2016

- (i) that contains two or more rooms used or designed to be used as a residence by one or more persons;
- (ii) that contains a *kitchen*, living, sleeping and sanitary facilities:
- (iii) that is self-contained and located within a **Dwelling Unit**:
- (iv) is considered part of and secondary to a **DwellingUnit**;
- except as otherwise indicated in subsection (vi) and (vii), must be located on the same *parcel* as a
 Contextual Single Detached Dwelling or a Single Detached Dwelling;
- (vi) in the R-CG District must be located on the same parcel as a Dwelling Unit contained in a Contextual Semi-Detached Dwelling, Contextual Single Detached Dwelling, Rowhouse Building, Semi-Detached Dwelling, or a Single Detached Dwelling; and
- (vii) in the R-G and R-Gm Districts must be located on the same *parcel* as a **Dwelling Unit** in a **Rowhouse** Building, Semi-detached Dwelling or a Single
 Detached Dwelling;
- (b) is a **use** within the Residential Group in Schedule A to this Bylaw;
- (c) requires a minimum of 1.0 *motor vehicle parking stalls*; and

24P2014

(d) does not require *bicycle parking stalls – class 1* or *class 2*.

295.1 deleted 12P2010, 24P2014

295.2 *deleted* 12P2010, 24P2014

296 "Self Storage Facility"

- (a) means a *use*:
 - (i) where goods are stored in a **building**:
 - (ii) where the *building* is made up of separate compartments and each compartment has separate access:
 - (iii) that may be available to the general public for the storage of personal items;
 - (iv) that may include the administrative functions associated with the **use**; and

- (v) that may incorporate Custodial Quarters for the custodian of the facility:
- (b) is a **use** within the Storage Group in Schedule A to this Bylaw;
- requires a minimum of 4.0 motor vehicle parking stalls (c) per 100.0 square metres of gross usable floor area for the administrative portion of the use; and
- (d) does not require bicycle parking stalls – class 1 or class 2.

297 "Semi-detached Dwelling" 24P2014

- means a *use* where a *building* contains two **Dwelling Units** (a) located side by side and separated by a common party wall extending from foundation to roof;
- (b) may contain a Secondary Suite within a Dwelling Unit in a district where a **Secondary Suite** is a listed *use* and conforms with the rules of the district:
- is a **use** within the Residential Group in Schedule A to this (c) Bylaw;
- (d) requires a minimum of 1.0 *motor vehicle parking stalls* per **Dwelling Unit**; and
- does not require bicycle parking stalls class 1 or class 2. (e)

298 "Service Organization"

- (a) means a use:
 - where health or educational programs and services are (i) offered to the public;
 - that does not include a Health Services Laboratory -(ii) With Clients or Medical Clinic:
 - that does not provide a food preparation *kitchen* or (iii) eating area for the public;
 - where there are rooms for the administrative functions (iv) of the **use**: and
 - where there may be a meeting room or auditorium (v) available for programs related to the use;
- (b) is a **use** within the Office Group in Schedule A to this Bylaw;
- requires a minimum of 4.0 motor vehicle parking stalls per (c) 100.0 square metres of *gross usable floor area* for the office area of the use:
- (d) does not require bicycle parking stalls - class 1; and
- (e) requires a minimum of 1.0 bicycle parking stalls - class 2 per 250.0 square metres of gross usable floor area.

304.1 "Sign - Class G"

30P2011

- (a) means only the following **sign** types:
 - (i) "Digital Third Party Advertising Sign" which means a sign that:

4P2013

- (A) displays copy directing attention to a business, commodity, service or entertainment that is conducted, sold or offered elsewhere than on the site where the sign is located; and
- (B) displays copy by means of a digital display but does not contain copy that is full motion video or otherwise gives the appearance of animation or movement; and
- (b) is a **use** within the Signs Group in Schedule A to this Bylaw.

305 "Single Detached Dwelling"

(a) means a use where a building contains only one Dwelling Unit and may contain a Secondary Suite in a district where a Secondary Suite is a listed use and conforms with the rules of the district, but does not include a Manufactured Home; 12P2010, 24P2014. 15P2016

- (b) is a **use** within the Residential Group in Schedule A to this Bylaw;
- requires a minimum of 1.0 motor vehicle parking stalls perDwelling Unit; and
- (d) does not require *bicycle parking stalls class 1* or *class 2*.

306 "Slaughter House"

- (a) means a **use**:
 - (i) where live animals are processed into food for human consumption;
 - (ii) that may have an area for supplies required to make the food products as part of the *use*;
 - (iii) that may have the functions of packaging or shipping the products made as part of the *use*;
 - (iv) that may have the function of using trailer units to keep the product on the *parcel* prior to shipping;
 - (v) that may have the administrative functions associated with the **use**; and
 - (vi) that must be approved only on a *parcel* designated as a Direct Control District that specifically includes **Slaughter House** as a *use*;

- (b) is a *use* within the Direct Control Use Group in Schedule A to this Bylaw;
- (c) requires a minimum number of *motor vehicle parking stalls* that is the greater of:
 - (i) 1.0 stalls per 100.0 square metres of *gross usable*floor area for the first 2000.0 square metres, and then
 1.0 stalls for each subsequent 500.0 square metres; or
 - (ii) 1.0 stalls per three (3) employees based on the maximum number of employees at the *use* at any given time;
- (d) does not require **bicycle parking stalls class 1**; and
- (e) requires a minimum of 1.0 *bicycle parking stalls class 2* per 2000.0 square metres of *gross usable floor area*.

307 "Social Organization"

- (a) means a *use*:
 - (i) where members of a club or group assemble to participate in recreation, social or cultural activities;
 - (ii) where there are sports, recreation, cultural, or social events for the members of the group;
 - (iii) where there may be an area for the preparation or consumption of food; and
 - (iv) that may have meeting rooms for the administration of the group;
- (b) is a *use* within the Culture and Leisure Group in Schedule A to this Bylaw;
- (c) must not have any openings, except emergency exits, loading bay doors or non-opening windows, on a façade that faces a residential district or abuts a lane separating the parcel from a residential district, or a C-N1, C-N2, C-COR1 District;
- (d) must not have an exterior entrance located on a façade that faces a *residential district*, unless that façade is separated from the *residential district* by an intervening *street*;
- (e) must not have a *public area* greater than 75.0 square metres where the *use* shares a *property line* with, or is only separated by an intervening *lane* from a *residential district*, or a C-N1, C-N2, C-COR1 District;
- (f) requires 1.5 *motor vehicle parking stalls* per 100.0 square metres of *gross usable floor area* for non-*assembly areas*, and 1.0 *motor vehicle parking stalls* per four (4) person capacity of the largest *assembly area* in the *building*, which is calculated by one of the following methods:

(9) Balconies and decks must not project into any side setback area.

67P2008

(10) Central air conditioning equipment may project a maximum of 1.0 metres into a *side setback area*:

67P2008

(a) for a Contextual Semi-detached Dwelling and a Semidetached Dwelling, only where the *side setback area* is on the *street* side of a *corner parcel*; and

27P2011

- (b) for all other **uses**:
 - (i) when located on a *corner parcel*; or
 - (ii) where at least one side setback area is clear of all central air conditioning equipment, window wells and portions of the building measured from grade to a height of 2.4 metres.

Projections Into Rear Setback Area

- 338 (1) Stairs, air conditioning equipment and window wells may project without limits into any *rear setback area*.
 - (2) Awnings, *balconies*, *bay windows*, canopies, chimneys, *decks*, eaves, fireplaces, fire escapes, *landings*, *porches*, and ramps other than wheelchair ramps may project a maximum of 1.5 metres into any *rear setback area.*
 - (3) A *private garage* attached to a *building* may project without limits into a *rear setback area* provided it:
 - (a) does not exceed 4.6 metres in **building height**;
 - (b) does not exceed 75.0 square metres in **gross floor area**;

27P2011

- (c) has no part that is located closer than 0.60 metres to the *rear property line*; and
- (d) has no eave closer than 0.6 metres to a **side property line**.
- (4) When an attached *private garage* has a *balcony* or *deck*, the *balcony* or *deck* must not be located within 6.0 metres of a *rear property line* or 1.2 metres of a *side property line*.

Patios

338.1 (1) Unless otherwise referenced in subsections (2) and (3), a *privacy wall* may be located on a *patio*, provided it does not exceed a height of 2.0 metres when measured from the surface of the *patio*.

- (2) A *privacy wall* located on a *patio* must not exceed 2.0 metres in height, when measured from *grade* and when the *privacy wall* is located within:
 - (a) a side setback area; or
 - (b) 6.0 metres of a *rear property line*.

(3) A *privacy wall* located on a *patio* must not exceed 1.2 metres in height when measured from *grade* when the *privacy wall* is located between the foremost front façade of the *main residential building* and the *front property line*.

Decks

The height of a **deck** in the **Developing Area** must not exceed 0.3 metres above the main floor level of the closest **main residential building** on the **parcel**.

57P2008

- (2) The height of a **deck** in the **Developed Area** must not exceed:
 - (a) 1.5 metres above grade at any point, except where the deck is located on the same façade as the at-grade entrance to a walkout basement; and
 - (b) 0.3 metres above the main floor level of the closest *main* residential building on the parcel.

67P2008, 3P2010

- (2.1) Unless otherwise referenced in subsection (3), a *privacy wall* located on a *deck*:
 - (a) must not exceed 2.0 metres in height when measured from the surface of the *deck*; and
 - (b) must not be located between the foremost front façade of the *main residential building* and the *front property line*.

13P2008, 67P2008, 9P2012, 24P2014

- (3) A deck attached to a Contextual Semi-detached Dwelling, Semi-detached Dwelling, Rowhouse Building or Townhouse within 1.2 metres of a party wall must have a solid privacy wall that:
 - (a) is a minimum of 2.0 metres in height;
 - (b) is a maximum of 3.0 metres in height; and
 - (c) extends the full depth of the **deck**.

Balconies

15P2016

340

(1) Unless otherwise referenced in this Part, an open balcony must not project more than 1.85 metres from the building façade to which it is attached.

15P2016

Unless otherwise referenced in this Part, the floor area of a **recessed balcony** must not exceed 10.0 square metres.

- (2.1) Unless otherwise referenced in this Part, a *privacy wall* located on a *balcony*:
 - (a) must not exceed 2.0 metres in height when measured from the surface of the *balcony*; and
 - (b) must not be located between the foremost front façade of the *main residential building* and the *front property line*.

- (3) A *balcony* attached to a **Contextual Semi-detached Dwelling**, 13P2008, 67P2008, 9P2012, Semi-detached Dwelling, Rowhouse Building or Townhouse within 1.2 metres of a party wall must have a solid *privacy wall* that:
 - (a) is a minimum of 2.0 metres in height;
 - (b) is a maximum of 3.0 metres in height; and
 - (c) extends the full depth of the **balcony**.
- (4) deleted 24P2014, 15P2016

Driveways

- **341** (1) A driveway must not have direct access to a *major street* unless:
 - (a) there is no practical alternative method of vehicular access to the *parcel*; and
 - (b) a turning space is provided on the *parcel* to allow all vehicles exiting to face the *major street*.
 - (2) A driveway connecting a **street** to a **private garage** must:

9P2012

- (a) be a minimum of 6.0 metres in length along the intended direction of travel for vehicles and measured from:
 - (i) the back of the public sidewalk to the door of the **private garage**; or
 - (ii) a curb where there is no public sidewalk to the door of a *private garage*; and
- (b) contain a rectangular area measuring 6.0 metres in length and 3.0 metres in width.
- (3) A driveway connecting a *lane* to a *private garage* must be a minimum of 0.60 metres in length along the intended direction of travel for vehicles, measured from the *property line* shared with the *lane* to the door of a *private garage*.

9P2012

(4) Vehicles may only be parked in the *actual front setback area* when the vehicle is located on a driveway or *motor vehicle parking stall* that is hard surfaced.

9P2012

(5) That portion of a driveway, including a *motor vehicle parking stall*, within 6.0 metres of a public sidewalk, or a curb on a *street* where there is no public sidewalk, must not exceed a width of:

- (a) 6.0 metres where the *parcel width* is 9.0 metres or less; or
- (b) 7.0 metres where the *parcel width* is greater than 9.0 metres and less than 15.0 metres.

57P2008, 13P2011

- (6) In the **Developed Area** a driveway accessing a **street** must not be constructed, altered or replaced except where:
 - (a) it is located on a *laneless parcel*;
 - (b) it is located on a *laned parcel* and 50.0 per cent or more *parcels* on the same block face have an existing driveway accessing a *street*; or
 - (c) there is a legally existing driveway that it is not being relocated or widened.

13P2011

(7) A driveway constructed, altered or replaced in accordance with subsection (6) may be extended in length.

57P2008, 13P2011

(8) Where a parcel is the subject of development, the Development Authority must not require the removal of a legally existing driveway accessing a street even where the proposed development is a discretionary use.

Retaining Walls

- 342 (1) A *retaining wall* must be less than 1.0 metre in height when measured from *grade*.
 - (2) A minimum horizontal separation of 1.0 metre must be maintained between *retaining walls* on the same *parcel*.

Fences

- The height of a **fence** above **grade** at any point along a **fence** line must not exceed:
 - (a) 1.2 metres for any portion of a **fence** extending between the foremost front façade of the **main residential building** and the **front property line**;
 - (b) 2.0 metres in all other cases; and
 - (c) 2.5 metres at the highest point of a gate that is not more than 2.5 metres in length.

Solar Collectors

343.1 (1) A **solar collector** may only be located on the wall or roof of a **building**.

68P2008

(2) A **solar collector** mounted on a roof with a pitch of less than 4:12, may project:

- (b) 3.0 metres at any eaveline, when measured from the finished floor of the building; and
- (c) one **storey**, which may include an attic space that:
 - (i) is accessed by a removable ladder;
 - (ii) does not have windows;
 - (iii) is used by the occupants of the *main residential building* for placement of personal items; and
 - (iv) has a maximum height of 1.5 metres when measured from the attic floor to the underside of any rafter.

Restrictions on Use of Accessory Residential Building

- The finished floor of an **Accessory Residential Building**, other than a *private garage*, must not exceed 0.6 metres above *grade*.
 - (2) An Accessory Residential Building must not be used as a **Dwelling** Unit, unless a **Backyard Suite** has been approved.
 - (3) An Accessory Residential Building must not have a balcony or rooftop deck.
 - (4) The area of a *parcel* covered by all **Accessory Residential Buildings** located on a *parcel*:

45P2015

24P2014

- (a) for a parcel containing a **Contextual Semi-detached Dwelling**, **Duplex Dwelling**, or a **Semi-detached Dwelling**that has yet to be subdivided, must not exceed the lesser of:
 - (i) the *building coverage* of the *main residential building*; or
 - (ii) 150.0 square metres; and
- (b) in all other cases, must not exceed the lesser of:
 - (i) the **building coverage** of the **main residential building**; or
 - (ii) 75.0 square metres; and

27P2011

(c) the calculation to determine the area of a *parcel* covered by **Accessory Residential Buildings** must not include any **Accessory Residential Buildings** with a cumulative *gross floor area* of 10.0 square metres or less.

3P2010, 45P2015

(5) All roof drainage from an **Accessory Residential Building** must be discharged onto the **parcel** on which the **building** is located.

Contextual Single Detached Dwelling

347 (1) A Contextual Single Detached Dwelling:

3P2010

(a) must have:

	PART 5 - DIVISION 1: GENERAL RULES					
45P2015			(i) a portion of the front façade, with an area less than or equal to 50% of the area of all front façades, recessed or projecting forward from the remaining façade that has a minimum dimension of:			
				(A)	2.0 metres in width	
				(B)	0.6 metres in depth; and	
				(C)	2.4 metres in height; or	
			(ii)		rch projecting from the front façade with a num dimension of:	
				(A)	2.0 metres in width; and	
				(B)	1.2 metres in depth;	
		(b)		must not have vehicular access from the <i>lane</i> to an attached <i>private garage</i> ;		
9P2012		(c)	must not have windows that are located beyond the rear façade of a <i>main residential building</i> on an adjoining <i>parcel</i> unless:			
			(i)	the w	rindow is located below the second <i>storey</i> ;	
			(ii)	the w	rindow is located on the rear façade;	
			(iii)	the g	lass in the window is entirely obscured; or	
			(iv)		is a minimum distance of 1.5 metres between the ed floor and the bottom of the window sill; and	
27P2011,	, 45P2015	(d)	must not have a roof slope less than 4:12 within 1.5 metres of the horizontal plane forming the maximum <i>building height</i> ; and			
27P2011,	, 45P2015				located on a <i>parcel</i> where the difference between <i>building reference points</i> is greater than 2.4	
45P2015 (f)			deleted			

- (2) Unless otherwise referenced in this Part, a Contextual Single Detached Dwelling:
 - (a) may have a **balcony** located on a side façade:
 - (i) where it forms part of the front façade and is not recessed back more than 4.5 metres from the front façade; or
 - (ii) where it is on the **street** side of a **corner parcel**;
 - (b) may have a **balcony** located on a rear façade where:
 - (i) it does not form part of the side façade unless the side façade is on the **street** side of a **corner parcel**;

- (ii) a *privacy wall* is provided where the *balcony* is facing a *side property line* shared with a *parcel*; and
- (iii) the *privacy wall* is a minimum of 2.0 metres in height and a maximum of 3.0 metres in height; and
- (c) must not have a **balcony** with a height greater than 6.0 metres, when measured vertically at any point from **grade** to the platform of the **balcony**.

27P2011

- (3) Where a **Contextual Single Detached Dwelling** is located on a *parcel* with a *parcel width* less than or equal to 10.0 metres the maximum *building depth* is the greater of:
 - (a) 65.0 per cent of the *parcel depth*; or
 - (b) the contextual building depth average.
- (4) Where a **Contextual Single Detached Dwelling** is located on a **parcel** with a **parcel width** greater than 10 metres the maximum **building depth** is the **contextual building depth average**.
- (5) Where a **Contextual Single Detached Dwelling** is located on a *parcel* with a *parcel width* greater than 10.0 metres, the maximum area of a horizontal cross section through each *storey* above the first *storey* must not exceed the *building coverage*.
- (6) Where a private garage is attached to a Contextual Single Detached Dwelling, the maximum building coverage is the maximum parcel coverage which must be reduced by 21.0 square metres for each required motor vehicle parking stall.

27P2011

Contextual Semi-detached Dwelling

347.1 (1) A Contextual Semi-detached Dwelling:

27P2011

- (a) must have:
 - the principal front façade of one *unit* staggered a minimum of 0.6 metres behind the principal front façade of the other *unit*; and
 - the principal rear façade of one *unit* staggered a minimum of 0.6 metres behind the principal rear façade of the other *unit*;
- (b) must have façade articulation for each *unit*, by including:
 - (i) a portion of the front façade, with an area less than or equal to 50% of the area of all front façades of each unit, recessed or projecting forward from the remainder of the front façade of that unit, with the projecting or recessed portion having a minimum dimension of:
 - (A) 2.0 metres in width;

- (B) 0.6 metres in depth; and
- (C) 2.4 metres in height; or
- (ii) a **porch** that projects from the front façade a minimum dimension of:
 - (A) 2.0 metres in width; and
 - (B) 1.2 metres in depth;
- (c) located on a *corner parcel* must have an exterior entrance which is visible from the *street* side of the *corner parcel*;
- (d) must not have vehicular access from the lane to an attached *private garage*;
- (e) must not have windows that are located beyond the rear façade of a contextual adjacent building on an adjoining parcel unless:
 - (i) the window is located below the second **storey**;
 - (ii) the window is located on the rear façade;
 - (iii) the glass in the window is entirely obscured; or
 - (iv) there is a minimum distance of 1.5 metres between the finished floor and the bottom of the window sill; and
- (f) must not have a roof slope less than 4:12 within 1.5 metres of the horizontal plane forming the maximum *building height*;
- (g) must not be located on a *parcel* where the difference between the *average building reference points* is greater than 2.4 metres; and
- (h) must not have an exterior entrance from **grade** located on a side façade, except on the **street** side of a **corner parcel**.
- (i) deleted
- (2) Unless otherwise referenced in this Part, a Contextual Semidetached Dwelling:
 - (a) may have a **balcony** located on a side façade where:
 - it forms part of the front façade and is not recessed back more than 4.5 metres from the front façade; or
 - (ii) it is on the **street** side of a **corner parcel**;
 - (b) may have a **balcony** located on a rear façade where:
 - (i) it does not form part of the side façade unless the side façade is on the **street** side of a **corner parcel**;
 - (ii) a privacy wall is provided where the balcony is facing a side property line shared with a contextual adjacent building; and

9P2012, 44P2013

45P2015

45P2015

45P2015

15P2016

- (iii) the *privacy wall* is a minimum of 2.0 metres in height and a maximum of 3.0 metres in height; and
- (c) must not have a **balcony** with a height greater than 6.0 metres, when measured vertically at any point from **grade** to the platform of the **balcony**.
- (3) The maximum *building depth* of a *Contextual Semi-detached Dwelling* is the greater of:
 - (a) 60.0 per cent of the *parcel depth*; or
 - (b) the contextual building depth average.
- (4) Where a *private garage* is attached to a **Contextual Semi-detached Dwelling**, the maximum *building coverage* is the maximum *parcel coverage* which must be reduced by 21.0 square metres for each required *motor vehicle parking stall*.

Planting Requirement for Contextual Single Detached and Contextual Semidetached Dwellings

- **347.2** (1) Trees required by this section:
 - (a) may be provided through the planting of new trees or the preservation of existing trees;
 - (b) must be provided on a *parcel* within 12 months of issuance of a *development completion permit*;
 - (c) must be maintained on the *parcel* for a minimum of 24 months after issuance of a *development completion permit*;
 - (d) must be of a species capable of healthy growth in Calgary and must conform to the standards of the Canadian Nursery Landscape Association; and
 - (e) are not required to be shown on a plan that is part of an application for **development permit**.
 - (2) A minimum of 2.0 trees must be provided for each *unit* of a **Contextual Semi-detached Dwelling**.
 - (3) Where a Contextual Single Detached Dwelling is located on a parcel with a parcel width less than or equal to 10.0 metres a minimum of 2.0 trees must be provided.
 - (4) Where a **Contextual Single Detached Dwelling** is located on a *parcel* with a *parcel width* greater than 10.0 metres a minimum of 3.0 trees must be provided.
 - (5) The requirement for the provision of 1.0 trees is met where:
 - (a) a deciduous tree has a minimum *calliper* of 60 millimetres; or

45P2015

(b) a coniferous tree has a minimum height of 2.0 metre.

- (6) The requirement for the provision of 2.0 trees is met where:
 - (a) a deciduous tree has a minimum *calliper* of 85 millimetres; or
 - (b) a coniferous tree has a minimum height of 4.0 metres.

24P2014 Permitted use Rowhouse Building

15P2016

347.3 (1) To be a *permitted use* in the R-CG District a **Rowhouse Building**:

- (a) must have façade articulation for each **Dwelling Unit**, by including:
 - (i) a portion of a **street** facing façade of each **unit** recessed behind or projecting forward from the remainder of the **street** facing façade of that **unit**, with the projecting or recessed portion having a minimum dimension of:
 - (A) 2.0 metres in width;
 - (B) 0.3 metres in depth; and
 - (C) 2.4 metres in height; or
 - (ii) a **porch** that projects from a **street** facing façade a minimum dimension of:
 - (A) 2.0 metres in width; and
 - (B) 1.2 metres in depth;
- (b) must have the main floor located above grade adjacent to the building to a maximum of 1.20 metres above grade for street facing façades;
- (c) located on a corner parcel must have an exterior entrance which is visible from each street side of the corner parcel;
- (d) must not have an attached *private garage*;
- (e) must have a *motor vehicle parking stall* or *private garage* for each **Dwelling Unit** with direct, individual access to a *lane*;
- (f) must not have windows on an exposed side façade of a *unit* that are located beyond the rear façade of a *contextually adjacent building* on an adjoining *parcel* unless:
 - (i) the window is located below the second **storey**:
 - (ii) the glass in the window is entirely obscured;
 - (iii) there is a minimum distance of 1.5 metres between the finished floor and the bottom of the window sill; or

- (iv) the façade that contains the window is setback a minimum of 4.2 metres from the **side property line**; and
- (g) must not be located on a *parcel* where the difference between the *average building reference points* is greater than 2.4 metres.
- (2) deleted 15P2016
- (3) Unless otherwise referenced in subsection (4) the maximum building depth of a Rowhouse Building that is a permitted use is the greater of:
 - (a) 60.0 per cent of the *parcel depth*; or
 - (b) the contextual building depth average.
- (4) There is no maximum *building depth* for a **Rowhouse Building** located on a *corner parcel*.

Visibility Setback

Within a *corner visibility triangle*, *buildings*, *fences*, finished *grade* of a *parcel* and vegetation must not exceed the lowest elevation of the *street* by more than 0.75 metres above lowest elevation of the *street*.

Roof Equipment Projection

- There is no vertical projection limit from the surface of a roof on a **building** for antennae, chimneys and wind powered attic ventilation devices.
 - (2) Mechanical equipment may project a maximum of 0.3 metres from the surface of a roof on a *building*.

Private Maintenance Easements

A private maintenance easement, provided pursuant to this Bylaw, must require the easement area be kept free of all *buildings*, structures and objects that would prevent or restrict the easement being used for the purpose of *building* maintenance.

12P2010, 24P2014 Secondary Suite

68P2008

- 351 (1) For a **Secondary Suite** the minimum *building setback* from a *property line*, must be equal to or greater than the minimum *building setback* from a *property line* for the *main residential building*.
 - (2) The maximum floor area of a **Secondary Suite**, excluding any area covered by stairways and *landings*, is 70.0 square metres:
 - (a) in the R-C1Ls, R-C1s, R-C1N, R-1s and R-1N Districts; or
 - (b) when located on a *parcel* with a *parcel width* less than 13.0 metres
 - The maximum floor area of a **Secondary Suite** may be relaxed by the **Development Authority** to a maximum of 10.0 per cent.
 - (4) A Secondary Suite must have a *private amenity space* that:
 - (a) is located outdoors;
 - (b) has a minimum area of 7.5 square metres with no dimension less than 1.5 metres; and
 - (c) is shown on a plan approved by the **Development Authority**.

12P2012, 24P2014 **351.1** deleted


12P2012, 24P2014 Backyard Suite

352 (1) For a Backyard Suite, the minimum *building setback* from a *rear property line* is:

the height plane described in section 360 at a point that is 4.5 metres from the **street side property line**, and extends downward toward the **street side property line** at a 4:12 slope.

361 (2) The following diagram illustrates the rules of subsection 361(1) 45P2015 Illustration 1:

Building Height on a Corner Parcel Section 361(1)



362 *deleted 3P2010*

Approved Building Grade Plans

363 All *building reference points* must be in accordance with a *building* grade plan.

47P2008, 46P2009, 9P2012

Gated Access

A gate must not be located across a *private condominium roadway*.

Exempt Additions

In order for the exemption in section 25(2)(a) to apply to an exterior alteration or addition to an existing **Duplex Dwelling**, **Semi-detached Dwelling** or **Single Detached Dwelling**:

- (a) the existing **building** must:
 - (i) conform to the rules of this Bylaw; and
 - (ii) be legally existing or approved prior to the effective date of this Bylaw;
- (b) the addition may be a maximum of:
 - (i) 40.0 square metres in floor area for any portion at a height less than or equal to:

- (A) 7.5 metres measured from grade where the existing building has a walkout basement; or
- (B) 6.0 metres measured from *grade* where the existing *building* does not have a *walkout basement*; and
- (ii) 10.0 square metres in floor area for any portion not exceeding the highest point of the existing roof;
- (b.1) The additions allowed in Section 365(b)(i) and (ii) must not be located on the same storey.
- (c) the addition or exterior alteration may:
 - (i) reduce the existing building setback from a front property line a maximum of 1.5 metres provided the building will comply with the minimum setback from a front property line specified in the district; and
 - (ii) reduce the existing **building setback** from **rear property line** a maximum of 4.6 metres provided the **building** will comply with the minimum **setback** from a **rear property line** specified in the district; and
- (d) the addition or exterior alteration must meet the rules:
 - (i) of section 347(1)(c) where there is a new window opening being created or where an existing window is being moved or enlarged; and
 - (ii) of section 347(2) where a new **balcony** is being constructed or an existing **balcony** is being altered.

15P2016 Cottage Housing Cluster

- **365.1 (1)** Unless otherwise referenced in subsection (2), the minimum separation distance between *cottage buildings* is 3.0 metres.
 - (2) When a common amenity space outdoors is located between two cottage buildings, the minimum separation distance between those buildings is 6.0 metres.
 - (3) Within each Cottage Housing Cluster the maximum number of **Dwelling Units** is 25.
 - (4) Each *cottage building* must be *adjacent* to the common open space.
 - (5) The maximum *gross floor area* of any individual *storey* of a **Dwelling Unit** in a *cottage building* is 100.0 square metres.
 - (6) The maximum *gross floor area* of a **Dwelling Unit** in a *cottage building* is 150.0 square metres.
 - (7) Each **Dwelling Unit** in a **cottage building** must have a **private amenity space** that:

- (a) is provided outdoors; and
- (b) has a minimum area of 12.0 square metres with no dimension less than 1.5 metres.
- (8) For Dwelling Units in a cottage building that are located on the floor closest to grade, a private amenity space must be provided in the form of a patio, porch or deck.
- (9) For **Dwelling Units** in a **cottage building** that are located entirely above a **private garage**, a **private amenity space** must be provided in the form of a **patio**, **deck** or **balcony**.
- (10) Common *outdoor amenity space* required for each **Cottage**Housing Cluster must be provided at *grade*, and
 - (a) have a minimum area of 15.0 square metres per **Dwelling Unit**;
 - (b) have no dimension less than 6.0 metres;
 - (c) must be centrally located in a single contiguous area;
 - (d) have either a **soft surfaced landscaped area** or **hard surfaced landscaped area**;
 - (e) must include a sidewalk to the **street**:
 - (f) must not be used for vehicular access; and
 - (g) must not be located in any **setback area**.
- (11) **Private amenity space** is not to be included in the calculation to determine the required common amenity space in subsection (10).
- (12) Unless otherwise referenced in subsection (13), for a *parcel* containing a **Cottage Housing Cluster** the provisions referenced in sections 334, 335, 336, 337 and 338 do not apply.
- (13) Eaves on a *cottage building* may project a maximum of 0.6 metres into any setback area.
- (14) One Accessory Residential Building less than 10.0 square metres, not including a *private garage*, may be provided for each *cottage building*.
- (15) For a *parcel* containing a **Cottage Housing Cluster** garbage and waste material must be stored either:
 - (a) inside a **building**; or
 - (b) in a garbage container enclosure approved by the **Development Authority** that:
 - (i) must not be located in an *actual front setback area*;
 - (ii) must not be located in an actual **side setback area** on the public **street** side of a **corner parcel**; and

- (iii) unless specified in subsection (16) must not be located in any **setback area**.
- (16) A garbage container enclosure on a *parcel* containing a **Cottage**Housing Cluster may be located in a *setback area* provided that:
 - (a) the wall of the enclosure is constructed of maintenance free materials; and
 - (b) there is no overhang of eaves onto an **adjacent parcel** or **lane**.
- (17) Recycling facilities must be provided for a Cottage Housing Cluster.
- (18) Motor vehicle parking stalls in a Cottage Housing Cluster must not be located between the common amenity space and a cottage building.
- (19) Unless otherwise referenced in subsection (20) access to *motor* vehicle parking stalls and private garages in a Cottage Housing Cluster must be from a lane.
- (20) For a Cottage Housing Cluster located on a *laneless parcel* access from a *street* to *motor vehicle parking stalls* and *private garages* may be provided via a single shared driveway.

Number of Main Residential Buildings on a Parcel

- 530 (1) Unless otherwise referenced in subsection (2) the maximum number of *main residential buildings* on a *parcel* is one.
 - (2) There is no maximum number of *main residential buildings* on a *parcel* that contains a **Cottage Housing Cluster**.

Parcel Width

The minimum *parcel width* is 7.5 metres for a *parcel* containing a **Duplex Dwelling**.

15P2016

Facade Width 15P2016

The minimum width of a **street** facing façade of a **unit** is 4.2 metres.

Parcel Area 15P2016

The minimum area of a *parcel* for a **Cottage Housing Cluster** is 760.0 square metres.

Parcel Coverage 15P2016

- 534 (1) Unless otherwise referenced in subsection (3), the maximum *parcel* coverage for a parcel containing a Contextual Semi-Detached Dwelling, Cottage Housing Cluster, Semi-Detached Dwelling or Single Detached Dwelling is:
 - (a) 45.0 per cent of the area of the *parcel* for a *development* with a *density* of less than 40 *units* per hectare;
 - (b) 50.0 per cent of the area of the parcel for a development with a density 40 units per hectare or greater and less than 50 units per hectare; or
 - (c) 55.0 per cent of the area of the *parcel* for a *development* with a *density* of 50 *units* per hectare or greater.
 - (2) Unless otherwise referenced in subsection (3), the maximum cumulative building coverage over all the parcels subject to a single development permit for a Rowhouse Building is:
 - (a) 45.0 per cent of the area of the parcels subject to the single development permit for a development with a density of less than 40 units per hectare;
 - (b) 50.0 per cent of the area of the parcels subject to the single development permit for a development with a density of 40 units per hectare or greater and less than 50 units per hectare;
 - (c) 55.0 per cent of the area of the parcels subject to the single development permit for a development with a density of 50 units per hectare or greater and less than 60 units per hectare; or

- (d) 60.0 per cent of the area of the parcels subject to a single development permit for a development with a density of 60 units per hectare or greater.
- (3) The maximum *parcel coverage* referenced in subsections (1) and (2), must be reduced by:
 - (a) 21.0 square metres where one motor vehicle parking stall is required on a parcel that is not located in a private garage; and
 - (b) 19.0 square metres for each required *motor vehicle parking stall* that is not located in a *private garage* where more than one *motor vehicle parking stall* is required on a *parcel*.
- (4) For all other **uses**, the maximum **parcel coverage** is 45.0 percent.

15P2016 Building Depth

- Unless otherwise referenced in subsection (2) the maximum *building*depth is 65.0 per cent of the parcel depth for a Duplex Dwelling,

 Rowhouse Building, Semi-detached Dwelling and a Single

 Detached Dwelling.
 - (2) There is no maximum *building depth* for a **Rowhouse Building** located on a *corner parcel*.

15P2016 Building Setback Areas

The minimum depth of all **setback areas** must be equal to the minimum **building setback** required in sections 537, 538, 539, and 540.

Building Setback from Front Property Line

- 537 (1) For a Contextual Semi-detached Dwelling, Cottage Housing
 Cluster, Rowhouse Building, Duplex Dwelling, Semi-detached
 Dwelling and a Single Detached Dwelling:
 - (a) where a parcel is located adjacent to a parcel that is designated with a low density residential district other than R-CG the minimum building setback from a front property line is the greater of:
 - (i) the **contextual front setback** less 1.5 metres; or
 - (ii) 3.0 metres.
 - (b) in all other cases the minimum *building setback* from a *front property line* is 3.0 metres.
 - (2) For an addition or exterior alteration to a **Duplex Dwelling, Semi- detached Dwelling,** or **Single Detached Dwelling** which was legally existing or approved prior to the effective date of this Bylaw, the minimum **building setback** from a **front property line** is the lesser of:
 - (a) the *contextual front setback* less 1.5 metres to a minimum of 3.0 metres; or

- (b) the existing **building setback** less 1.5 metres to a minimum of 3.0 metres.
- (3) For all other **uses**, the minimum **building setback** from a **front property line** is 3.0 metres.
- (4) A *porch* may project 1.5 metres into the required minimum *building* setback from a *front property line*.

Block Face Requirements

15P2016

- A minimum *building setback* of 1.2 metres is required from a *side property line* at least every 60.0 metres along the entire length of a block face.
 - (2) Where subsection (1) applies, the side setback area must be clear of all air conditioning units, window wells and portions of a building measured from grade to a height of 2.4 metres.

Building Setback from Side Property Line

15P2016

- 539 (1) Subject to subsections (3) through (8), the minimum *building setback* from any *side property line* is 1.2 metres.
 - (2) Subject to subsections (3) through (9), for a *laneless parcel*, the minimum *building setback* from any *side property line* is:
 - (a) 1.2 metres; or
 - (b) 3.0 metres on one side of the *parcel* when no provision is made for a *private garage* on the front or side of a *building*.
 - (3) For a Backyard Suite, Contextual Semi-detached Dwelling, Rowhouse Building or Semi-detached Dwelling, there is no requirement for a *building setback* from a *property line* upon which a party wall is located.
 - (4) The minimum *building setback* from a *side property line* may be reduced to zero metres where:
 - (a) the owner of the *parcel* proposed for *development* and the owner of the *adjacent parcel* register, against both titles, a 1.2 metre private maintenance easement;
 - (b) the building setback is not greater than 0.1 metres from the side property line for any portion of a building that is recessed 0.6 metres or greater from the front façade or the rear façade of the building and is setback less than 1.2 metres from the side property line;
 - (c) the wall at the shared side property line is constructed of maintenance-free materials and there is no overhang of eaves onto an adjacent parcel; and

- (d) all roof drainage from the *building* is discharged through eavestroughs and downspouts onto the *parcel* on which the *building* is located.
- (5) For a Rowhouse Building, Contextual Semi-detached Dwelling, Semi-detached Dwelling or Single Detached Dwelling the minimum building setback from a side property line may be reduced to zero metres where:
 - (a) the main residential building on the adjacent parcel has a setback of 0.1 metres or less at the shared side property line for any portion of the building that is recessed 0.6 metres or greater from the front façade or the rear façade of the building and is setback less than 1.2 metres from the side property line:
 - (b) the building setback is not greater than 0.1 metres from the side property line for any portion of a building that is recessed 0.6 metres or greater from the front façade or the rear façade of the building and is setback less than 1.2 metres from the side property line;
 - (c) the wall at the shared **side property line** is constructed of maintenance-free materials and there is no overhang of eaves onto an **adjacent parcel**; and
 - (d) all roof drainage from the *building* is discharged through eavestroughs and downspouts onto the *parcel* on which the *building* is located.
- (6) For a **Backyard Suite** the minimum *building setback* from a *side property line* may be reduced to zero metres where:
 - (a) the accessory residential building or Backyard Suite on the adjacent parcel has a setback of 0.1 metres or less at the shared side property line for any portion of the building that is recessed 0.6 metres or greater from the front façade or the rear façade of the building and is setback less than 0.6 metres from the side property line;
 - (b) the building setback is not greater than 0.1 metres from the side property line for any portion of a building that is recessed 0.6 metres or greater from the front façade or the rear façade of the building and is setback less than 1.2 metres from the side property line;
 - (c) the wall at the shared **side property line** is constructed of maintenance-free materials and there is no overhang of eaves onto an **adjacent parcel**; and

- (d) all roof drainage from the building is discharged through eavestroughs and downspouts onto the parcel on which the building is located.
- (7) Unless otherwise referenced in subsection (8), for a corner parcel, the minimum building setback from a side property line shared with a street is 1.2 metres, provided there is no portion of a building, except for a projection allowed in section 337(3), located within 3.0 metres of:
 - (a) the back of the public sidewalk; or
 - (b) the curb where there is no public sidewalk.
- (8) Where a corner parcel shares a side property line with a street and the parcel existed prior to the effective date of this Bylaw, the minimum building setback from that side property line is 1.2 metres.
- (9) The *building setback* from a *side property line* of 3.0 metres required in subsection 2(b) may be reduced to zero metres where the owner of the *parcel* proposed for *development* and the owner of the *adjacent parcel* registers, against both titles, a private access easement:
 - (a) where the width of the easement, in combination with the reduced *building setback*, must be at least 3.0 metres; and
 - (b) that provides unrestricted vehicle access to the rear of the *parcel*.

Building Setback from Rear Property Line

15P2016

- **540** (1) Unless otherwise referenced in subsections (2) or (3) the minimum *building setback* from a *rear property line* is 7.5 metres.
 - (2) For a Rowhouse Building on a *corner parcel*, the minimum *building setback* from a *rear property line* is 1.5 metres.
 - (3) For a *cottage building* the minimum *building setback* from a property line shared with a *lane* is 1.5 metres.

Building Height

15P2016

- For a Contextual Semi-detached Dwelling, Duplex Dwelling, Semidetached Dwelling and a Single Detached Dwelling, the maximum building height is the greater of:
 - (a) 8.6 metres; or
 - (b) the *contextual height* plus 1.5 metres, to a maximum of 10.0 metres.

(2) For a Rowhouse Building:

- (a) Unless otherwise referenced in subsection (b), the maximum *building height* is 11.0 metres.
- (b) The maximum *building height* within 4.2 metres of a *side property line* that is shared with another *parcel* that is designated with a *low density residential district* other than R-CG is the greater of:
 - (i) 8.6 metres;
 - (ii) the *contextual height* plus 1.5 metres, to a maximum of 10.0 metres; or
 - (iii) the *building height* of the *contextually adjacent building* at the shared *side property line*, to a maximum of 11.0 metres; and
- (c) The maximum area of a horizontal cross section through a **building** at 9.5 metres above average **grade** must not be greater than 75.0 per cent of the maximum area of a horizontal cross section through the **building** between average **grade** and 8.6 metres.
- (3) The maximum *building height* for a *cottage building* is 8.6 metres.
- (4) For all other **uses**, the maximum **building height** is 10.0 metres

15P2016 Outdoor Private Amenity Space

- 542 (1) For a Contextual Semi-detached Dwelling, Duplex Dwelling,
 Rowhouse Building, Semi-detached Dwelling and a Single
 Detached Dwelling, each unit must have direct access to private
 amenity space that:
 - (a) is provided outdoors;
 - (b) has a minimum total area of 20.0 square metres;
 - (c) may be divided over a maximum of two *amenity spaces* where:
 - (i) one **amenity space** has no dimension less than 3.0 metres; and
 - (ii) the second *amenity space* has a minimum contiguous area of 7.5 square metres with no dimension less than 1.5 metres; and
 - (d) is not located in the actual front setback area.

Landscaping 15P2016

- **543** (1) Trees required by this section:
 - (a) may be provided through the planting of new trees or the preservation of existing trees;
 - (b) must be provided on a *parcel* within 12 months of issuance of a *development completion permit*;
 - (c) must be maintained on the *parcel* for a minimum of 24 months after issuance of a *development completion permit*;
 - (d) must be of a species capable of healthy growth in Calgary and must conform to the standards of the Canadian Nursery Landscape Association; and
 - (e) are not required to be shown on a plan that is part of an application for **development permit**.
 - (2) A minimum of 2.0 trees must be provided for each *unit* of a Contextual Semi-detached Dwelling, Rowhouse Building or Semi-detached Dwelling.
 - (3) Where a **Single Detached Dwelling** is located on a *parcel* with a *parcel width* less than or equal to 10.0 metres a minimum of 2.0 trees must be provided.
 - (4) Where a **Single Detached Dwelling** is located on a *parcel* with a *parcel width* greater than 10.0 metres a minimum of 3.0 trees must be provided.
 - (5) A minimum of 1.2 trees per *unit* must be provided for a **Cottage Housing Cluster**.
 - The requirement for the provision of 1.0 tree is met where an existing tree is retained or a new tree is planted where:
 - (a) a deciduous tree has a minimum *calliper* of 50 millimetres; or
 - (b) a coniferous tree has a minimum height of 2.0 metres.
 - (7) The requirement for the provision of 2.0 trees is met where an existing tree is retained or a new tree planted where:
 - (a) one deciduous tree has a minimum *calliper* of 85 millimetres; or
 - (b) one coniferous tree is provided that has a minimum height of 4.0 metres.

15P2016

Balconies

- Where a *balcony* is located on the roof of the first or second *storey* of a Contextual Single Detached Dwelling, Contextual Semidetached, Rowhouse Building, Single Detached Dwelling or Semi-detached Dwelling and does not overhang any façade of the *storey* below, the *balcony* may have a maximum *floor area* that equals 30.0 per cent of the horizontal cross section of the *storey* below.
 - (2) A balcony attached to a Contextual Single Detached Dwelling, Contextual Semi-detached Dwelling, or Rowhouse Building that is a permitted use:
 - (a) may be located on a side façade of a **building**:
 - (i) where it forms part of the front façade and is not recessed back more than 4.5 metres from the front façade; or
 - (ii) where it is on the **street** side of a **corner parcel**;
 - (b) may be located on a rear façade of a *building* where:
 - (i) it does not form part of the side façade unless the side façade is on the **street** side of a **corner parcel**;
 - (ii) a privacy wall is provided where the balcony is facing a side property line shared with a contextually adjacent building; and
 - (iii) the privacy wall is a minimum of 2.0 metres in height and a maximum of 3.0 metres in height; and
 - (c) must not have a *balcony* on the rear façade with a height greater than 6.0 metres, when measured vertically at any point from *grade* to the platform of the *balcony*.

15P2016 Accessory Residential Buildings

For a *parcel* containing a **Rowhouse Building** or **Cottage Housing Cluster** the provisions referenced in subsection 346(4) do not apply to **Accessory Residential Buildings** used as a *private garage*.

Motor Vehicle Parking Stalls

15P2016

- The minimum number of *motor vehicle parking stalls* for a **Contextual Semi-detached Dwelling** is 1.0 stall per **Dwelling Unit**.
 - (2) The minimum number of *motor vehicle parking stalls* for a **Secondary Suite** or **Backyard Suite** is reduced to 0.0 where the floor area of a **Backyard Suite** or **Secondary Suite** is 45.0 square metres or less.

PART 5: LOW DENSITY RESIDENTIAL DISTRICTS

15P2016

Division 12: Residential – Low Density Mixed Housing (R-G) (R-Gm) District

Purpose

- 547 (1) The Residential Low Density Mixed Housing District:
 - is intended to apply to low density neighbourhoods in master planned communities in suburban greenfield locations in the *Developing Area*;
 - (b) accommodates a wide range of low density residential development in the form of Cottage Housing Clusters,
 Duplex Dwellings, Rowhouse Buildings, Semi-detached
 Dwellings and Single Detached Dwellings to allow for the mixing of different housing forms and to encourage housing diversity and intensification of a neighbourhood over time;
 - (c) includes *carriage house lots* to facilitate alternative housing forms on *laned parcels*; and
 - (d) accommodates Secondary Suites and Backyard Suites.
 - (2) **Parcels** designated R-Gm:
 - (a) accommodate low density attached dwelling developments in the form of Rowhouse Buildings, Semi-detached Dwellings, Duplex Dwellings and Cottage Housing Clusters in locations within master planned communities where attached residential forms are promoted;
 - (b) are not intended to accommodate Single Detached Dwellings except where subdivision results in remnant single lots, where carriage house lots are added or where Single Detached Dwellings are planned comprehensively with a majority of attached dwelling forms.

Permitted Uses

- **547.1** The following *uses* are *permitted uses* in the Residential –Low Density Mixed Housing District:
 - (a) Accessory Residential Building;
 - (b) **Backyard Suite**;
 - (c) **Duplex Dwelling**;
 - (d) Home Based Child Care Class 1;
 - (e) Home Occupation Class 1;
 - (f) Park;

- (g) Protective and Emergency Service;
- (h) Rowhouse Building;
- (i) Secondary Suite;
- (j) Semi-detached Dwelling;
- (k) Sign Class A;
- (I) Single Detached Dwelling; and
- (m) Utilities.

Discretionary Uses

- **547.2** The following *uses* are *discretionary uses* in the Residential Low Density Mixed Housing District:
 - (a) Addiction Treatment;
 - (b) Assisted Living;
 - (c) **Bed and Breakfast**;
 - (d) Community Entrance Feature;
 - (e) Cottage Housing Cluster;
 - (f) Custodial Care;
 - (g) Home Based Child Care Class 2;
 - (h) Home Occupation Class 2;
 - (i) Place of Worship Small;
 - (j) Power Generation Facility Small;
 - (k) Residential Care;
 - (I) Sign Class B;
 - (m) Sign Class C;
 - (n) Sign Class E;
 - (o) Temporary Residential Sales Centre; and
 - (p) Utility Building.

Permitted and Discretionary Uses for Parcels Designated R-Gm

- **Parcels** designated R-Gm have the same **permitted uses** referenced in section 547.1 with the exception of:
 - (a) Single Detached Dwelling.
 - (2) Parcels designated R-Gm have the same discretionary uses referenced in section 547.2 with the additional discretionary use of:
 - (a) Single Detached Dwelling.

Rules

- **547.4** In addition to the rules in this District, all **uses** in this District must comply with:
 - (a) the General Rules for Low Density Residential Land Use Districts referenced in Part 5, Division 1;
 - (b) the Rules Governing All Districts referenced in Part 3; and
 - (c) the applicable Uses And Use Rules referenced in Part 4.

Number of Main Residential Buildings on a Parcel

- **547.5** (1) Unless otherwise referenced in subsection (2) the maximum number of *main residential buildings* on a *parcel* is one.
 - (2) Subsection (1) does not apply to a Cottage Housing Cluster.

Parcel Width

- 547.6 (1) Unless otherwise referenced in subsections (2) and (3) the minimum *parcel width* is 6.0 metres per **Dwelling Unit**.
 - (2) The minimum parcel width is 5.0 metres per Dwelling Unit for a laned parcel containing a Duplex Dwelling or a Rowhouse Building.
 - (3) There is no minimum *parcel width* for a **Cottage Housing Cluster** or a *carriage house lot*.

Parcel Area

- **547.7 (1)** Except as otherwise referenced in subsections (2) and (3), the minimum area of a *parcel* is 150.0 square metres per **Dwelling Unit**.
 - (2) The area of a *carriage house lot* is:
 - (a) a minimum 120.0 square metres per **Dwelling Unit**; and
 - (b) a maximum of 250.0 square metres per **Dwelling Unit**.
 - (3) The minimum area of a *parcel* for a **Cottage Housing Cluster** is 90.0 square metres per **Dwelling Unit**.

Parcel Coverage

- 547.8 (1) Unless otherwise referenced in subsections (2) and (3), the maximum *parcel coverage* is 60.0 per cent of the area of the *parcel*.
 - (2) Unless otherwise referenced in subsection (3), the maximum *parcel coverage* for a *laned parcel* is 70.0 per cent of the area of the *parcel*.
 - (3) The maximum *parcel coverage* referenced in subsections (1) and (2), must be reduced by 21.0 square metres for each required motor vehicle parking stall that is not located in a *private garage*.

Building Setback Areas

547.9 The minimum depth of all **setback areas** must be equal to the minimum **building setbacks** required in sections 547.10, 547.11 and 547.12.

Building Setback from Front Property Line

547.10 The minimum *building setback* from a *front property line* is 1.0 metres.

Building Setback from Side Property Line

- 547.11 (1) Unless otherwise referenced in subsections (4), (5) and (6), for a *laned parcel*, the minimum *building setback* from any *side property line* is 1.2 metres.
 - (2) Unless otherwise referenced in subsections (3), (4), (5) and (6), for a *laneless parcel*, the minimum *building setback* from any *side property line* is:
 - (a) 1.2 metres; or
 - (b) 3.0 metres on one side of the *parcel*, when no provision has been made for a *private garage* on the front or side of a *building*.
 - (3) The *building setback* required in subsection 2(b) may be reduced where the owner of the *parcel* proposed for *development* and the owner of the adjacent *parcel* register, against both titles, an exclusive private access easement:
 - (a) where the width of the easement, in combination with the reduced *building setback*, must be at least 3.0 metres; and
 - (b) provides unrestricted vehicle access to the rear of the *parcel*.
 - (4) For a *corner parcel*, the minimum *building setback* from a *side property line* shared with a *street* is 1.0 metre.
 - (5) For a *parcel* containing a **Single Detached Dwelling** one *building* setback from a side property line may be reduced to zero metres where:
 - (a) the owner of the *parcel* proposed for *development* and the owner of the *adjacent parcel* register, against both titles, a minimum 1.5 metre private maintenance easement that provides for:
 - a 0.30 metre eave encroachment easement with the requirement that the eaves must not be closer than 0.90 metres to the eaves on a *building* on an *adjacent* parcel; and
 - (ii) a 0.60 metre footing encroachment easement; and
 - (b) all roof drainage from the *building* is discharged through eavestroughs and downspouts onto the parcel on which the *building* is located.

(6) For a Backyard Suite, Rowhouse Building or Semi-detached Dwelling there is no requirement for a building setback from the property line on which a party wall is located that separates two or more Dwelling Units or Backyard Suites.

Building Setback from Rear Property Line

- **547.12 (1)** Unless otherwise referenced in subsections (2), (3) or (4) the minimum *building setback* from a *rear property line* is 7.5 metres.
 - (2) On a *laneless parcel* the minimum *building setback* from a *rear property line* is 5.0 metres where all the required *motor vehicle parking stalls* are provided in a *private garage*.
 - (3) The minimum *building setback* from a *rear property line* shared with a *carriage house lot* is 1.2 meters where all the required *motor vehicle parking stalls* are provided in a *private garage*.
 - (4) On a *laned parcel* the minimum *building setback* from a *rear property line* shared with a *lane* is 0.6 metres where all the required *motor vehicle parking stalls*:
 - (a) are provided in a *private garage*; and
 - (b) have direct, individual access to the *lane*.
 - (5) For a *development* subject to subsection (4) the provisions referenced in section 338 regarding projections into the *rear setback area* do not apply.
 - (6) For a *development* subject to subsection (4) eaves may project 0.3 metres into the *rear setback area*.

Building Height

- **547.13 (1)** Unless otherwise referenced in subsection (2), the maximum *building height* is 12.0 metres.
 - (2) The maximum height of a **Backyard Suite** on a *laned parcel* is 10.0 metres.

Outdoor Private Amenity Space

- 547.14 (1) Unless otherwise referenced in subsection (2) or (3), for a **Duplex**Dwelling, Rowhouse Building, Semi-detached Dwelling or a

 Single Detached Dwelling, each *unit* must have direct access to

 private amenity space that:
 - (a) is provided outdoors;
 - (b) is not used for vehicle access or as a motor vehicle parking stall;
 - (c) is not located in the *building setback* area between the front *property line* and a line parallel to the *front property line*

- measured at the closest **building setback** from the **front property line**;
- (d) has a minimum total area of 22.0 square metres; and
- (e) has no dimension of less than 3.0 metres.
- (2) Unless otherwise referenced in subsection (3), for a **Duplex Dwelling**, **Rowhouse Building** or a **Semi-detached Dwelling** located on *parcel* designated R-Gm, each *unit* must have direct access to *private amenity space* that:
 - (a) is provided outdoors;
 - (b) is not used for vehicle access or as a motor vehicle parking stall;
 - (c) is not located in the building setback area between the front property line and a line parallel to the front property line measured at the closest building setback from the front property line;
 - (d) has a minimum total area of 15.0 square metres; and
 - (e) has no dimension of less than 2.0 metres.
- (3) For a Semi-detached Dwelling or a Single Detached Dwelling located on *carriage house lot*, each *unit* must have direct access to *private amenity space* that:
 - (a) is provided outdoors;
 - (b) is not used for vehicle access or as a motor vehicle parking stall;
 - (c) has a minimum total area of 15.0 square metres; and
 - (d) has no dimension of less than 2.0 metres.

Balconies

547.15 The rules of subsections 340(1) and 340(2) regarding **balcony size** do not apply to a **balcony** located entirely on the roof of the first or second **storey** of the **main residential building** or a **private garage** attached to the **main residential building**.

Driveways

547.16 In addition to the rules regarding driveways in section 341 the combined width of all driveways accessing a **street** must not be wider than the **parcel width** less 3.0 metres.