

# Wall C

In this area, three possible locations for a noise wall were explored. After completing a review of the options, it was found that there are two feasible location options for this area and the third one is no longer being considered. One location option (C2) has two material type options: berm or wall.



Legend	
	Wall location (C1)
	Wall location (C2)
	Berm location (C2)
	Wall location (C3)

## Walls C2 and C3 - Here Are Your Options



### C2 - wall

**Wall Height** 3.0m

- **Constructability:** Wall option would have multiple conflicts with utility lines. Existing wall would have to be removed.
- **Active Mode Connections:** Would not impact existing formal pathway connections. Would not impact connections to pedestrian bridge at the Sunalta Elementary School.
- **Green Space:** Would bisect existing green space potentially limiting functionality of the space and impact existing sledding hill.
- **Safety:** Wall option would block visibility of green space users to Crowchild Trail.



### C2 - berm

**Wall Height** 3.0m

- **Constructability:** Berm option would have multiple conflicts with utility lines. Existing wall would have to be removed. Would have the highest overall construction cost compared to the other options.
- **Active Mode Connections:** Would not impact existing formal pathway connections. Would not impact connections to pedestrian bridge at the Sunalta Elementary School.
- **Green Space:** Would provide a more natural feel to the existing green space as compared to a wall. Would bisect green space potentially limiting functionality and impact existing sledding hill.
- **Safety:** Berm option would block visibility of green space users to Crowchild Trail.



### C3

**Wall Height** 4.4m

- **Constructability:** Wall option has few conflicts with utility lines.
- **Active Mode Connections:** Would not impact existing formal pathway connections.
- **Green Space:** Wall option would block Crowchild Trail traffic, improving experience for green space users. Would not bisect green space or impact existing sledding hill.
- **Safety:** Wall option would block visibility of green space users to Crowchild Trail.

## Wall C1 - Location Option No Longer Being Considered



### C1

**Wall Height** 2.2m

#### Why this option is no longer being considered

- **Constructability:** Wall option has few conflicts with utility lines.
- **Active Mode Connections:** Would not impact existing formal pathway connections. Would not impact connections to pedestrian bridge at the Sunalta Elementary School.
- **Green Space:** Would block view of green space from adjacent properties on 22 Street S.W. and access to green space from 22 Street S.W. would be limited.
- **Safety:** Green space users would not be visible from adjacent properties.
- **Community Input:** We heard throughout the Crowchild Trail Study that a noise wall adjacent to 22 Street S.W. was not a desired location and that other locations should be explored.

# Wall C: Option C2 - Berm

Before



West Side of Crowchild Trail looking southwest

After




West Side of Crowchild Trail looking southwest

**Berm Height**  
3.0m




Before



West Side of Crowchild Trail looking north

After



West Side of Crowchild Trail looking north

Before



West Side of Crowchild Trail looking west

After



West Side of Crowchild Trail looking west

I prefer this berm option, because...

Place stickies here

Unlike the wall options there are no additional wall type preferences for the berm option.

# Wall C: Option C2 - Wall

Before



West Side of Crowchild Trail looking southwest


After




West Side of Crowchild Trail looking southwest

Wall Height

3.0m




Before




West Side of Crowchild Trail looking north

After



West Side of Crowchild Trail looking north

Before



West Side of Crowchild Trail looking west

After



West Side of Crowchild Trail looking west

I prefer this wall option, because...


Place stickies here

If you prefer this wall option, please provide your input on your wall type preferences on the next board.

# Wall C: Option C2

## Wall Texture

If this wall option moves forward, my preferred texture is? Please explain why...




Other Are there other texture options you would prefer?

Place stickies here

## Wall Colour

If this wall option moves forward, my preferred colour is? Please explain why...



Other Are there other colour options you would prefer?

Place stickies here

# Wall C: Option C3

**Before**



West Side of Crowchild Trail looking southwest

**After**




West Side of Crowchild Trail looking southwest

**Wall Height**  
4.4m




**Before**



West Side of Crowchild Trail looking north

**After**



West Side of Crowchild Trail looking north

**Before**



West Side of Crowchild Trail looking west

**After**



West Side of Crowchild Trail looking west

**I prefer this wall option, because...**


*Place stickies here*

If you prefer this wall option, please provide your input on your wall type preferences on the next board.

# Wall C: Option C3

## Wall Texture

If this wall option moves forward, my preferred texture is? Please explain why...





Other Are there other texture options you would prefer?

Place stickies here

## Wall Colour

If this wall option moves forward, my preferred colour is? Please explain why...



Other Are there other colour options you would prefer?

Place stickies here